

Package ‘lacrmr’

September 2, 2020

Title Connect to the 'Less Annoying CRM' API

Version 1.0.3

Description

Connect to the 'Less Annoying CRM' API with ease to get your crm data in a clean and tidy format. 'Less Annoying CRM' is a simple CRM built for small businesses, more information is available on their website <<https://www.lessannoyingcrm.com/>>.

License GPL-3

URL <https://ixpantia.github.io/lacrmr/>

BugReports <https://github.com/ixpantia/lacrmr/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.1.1

Depends R (>= 3.6), magrittr

Suggests testthat (>= 2.1.0), knitr, rmarkdown, httpptest, mockery

VignetteBuilder knitr

Imports dplyr, httr, jsonlite, janitor, sjmisc, stringr

NeedsCompilation no

Author ixpantia, family = SRL [cph],
Ronny Hernández Mora [aut] (<<https://orcid.org/0000-0001-6225-7096>>),
Frans van Dunné [cre, aut] (<<https://orcid.org/0000-0002-7853-2811>>)

Maintainer Frans van Dunné <frans@ixpantia.com>

Repository CRAN

Date/Publication 2020-09-02 07:40:03 UTC

R topics documented:

get_account_information	2
get_contact_information	2
get_pipeline_report	3
lacramr	4
search_contacts	4

Index**5**

`get_account_information`
get_account_information

Description

Return your user account information from Less annoying CRM

Usage

```
get_account_information(user_code, api_token)
```

Arguments

<code>user_code</code>	The user code to identify your account
<code>api_token</code>	The api token to connect to your account

Details

For using this function you will need to get your credentials from your Less Annoying CRM. Make sure to have your user code and your `api_token`.

Examples

```
## Not run:  
get_account_information(user_code = "6A6E88",  
                        api_token = "FBHV7C")  
  
## End(Not run)
```

`get_contact_information`
get_contact_information

Description

Return the contact information.

Usage

```
get_contact_information(user_code, api_token, contact_id = "")
```

Arguments

user_code The user code to identify your account
api_token The api token to connect to your account
contact_id The contact name or other term to make an specific call to the API.

Examples

```
## Not run:  
get_contact_information(user_code = "6A6E88",  
                        api_token = "TQ9XM",  
                        contact_id = "Fulano")  
  
## End(Not run)
```

get_pipeline_report *get_pipeline_report*

Description

Return your pipeline report information from Less annoying CRM.

Usage

```
get_pipeline_report(user_code, api_token, pipelineid)
```

Arguments

user_code The user code to identify your account
api_token The api token to connect to your account
pipelineid The id of the pipeline you want to get the report from

Details

For this you will need to know the pipelineId, StatusId, and CustomFieldId You can get this PipelineId's at <https://www.lessannoyingcrm.com/app/Settings/Api>

Examples

```
## Not run:  
get_pipeline_report(user_code = "6A6E88",  
                   api_token = "96066",  
                   pipelineid = "57102821")  
  
## End(Not run)
```

lacramr	lacrmr <i>package</i>
---------	-----------------------

Description

Connect to the Less Annoying CRM API to get your data clean and tidy.

Details

See the README on

search_contacts	<i>search_contacts</i>
-----------------	------------------------

Description

Return the contacts information from Less annoying CRM.

Usage

```
search_contacts(user_code, api_token, search_term = "")
```

Arguments

user_code	The user code to identify your account
api_token	The api token to connect to your account
search_term	The contact name or other term to make an specific call to the API. If you want to search for group enter "Group:GROUP_NAME"

Examples

```
## Not run:  
search_contacts(user_code = "6A6E88",  
               api_token = "TQ9XM",  
               search_term = "brenesii")  
  
## End(Not run)
```

Index

`get_account_information`, 2
`get_contact_information`, 2
`get_pipeline_report`, 3

`lacramr`, 4

`search_contacts`, 4