

# Package ‘onemap’

February 17, 2020

**Title** Construction of Genetic Maps in Experimental Crosses: Full-Sib, RILs, F2 and Backcrosses

**Version** 2.1.3

**Description** Analysis of molecular marker data from model (backcrosses, F2 and recombinant inbred lines) and non-model systems (i. e. outcrossing species). For the later, it allows statistical analysis by simultaneously estimating linkage and linkage phases (genetic map construction) according to Wu et al. (2002) <doi:10.1006/tpbi.2002.1577>. All analysis are based on multipoint approaches using hidden Markov models.

**Date** 2020-02-14

**Author** Gabriel Margarido [aut],  
Marcelo Mollinari [aut],  
Karl Broman [ctb],  
Getulio Ferreira [ctb],  
Rodrigo Amadeu [ctb],  
Cristiane Taniguti [ctb, cre],  
Augusto Garcia [aut, ctb]

**LinkingTo** Rcpp (>= 0.10.5)

**Depends** R (>= 3.6.0)

**Imports** ggplot2 (>= 2.2.1), plotly (>= 4.7.1), reshape2 (>= 1.4.1),  
Rcpp (>= 0.10.5), graphics, methods, stats, utils, grDevices,  
MDSMap

**Suggests** qtl (>= 1.36-6), knitr (>= 1.10), rmarkdown, htmlwidgets,  
vcfR (>= 1.6.0),

**VignetteBuilder** knitr

**Encoding** UTF-8

**License** GPL-3

**URL** <https://github.com/augusto-garcia/onemap>

**BugReports** <https://github.com/augusto-garcia/onemap/wiki>

**Maintainer** Cristiane Taniguti <chtaniguti@usp.br>

**Repository** CRAN

**NeedsCompilation** yes

**Date/Publication** 2020-02-17 06:00:04 UTC

**RoxygenNote** 7.0.2

**biocViews**

## R topics documented:

add_marker . . . . .	3
Bonferroni_alpha . . . . .	4
combine_onemap . . . . .	5
compare . . . . .	6
create_dataframe_for_plot_outcross . . . . .	8
create_data_bins . . . . .	9
draw_map . . . . .	10
draw_map2 . . . . .	11
drop_marker . . . . .	13
find_bins . . . . .	14
group . . . . .	15
group_seq . . . . .	16
make_seq . . . . .	18
map . . . . .	20
mapmaker_example_bc . . . . .	22
mapmaker_example_f2 . . . . .	23
map_func . . . . .	24
marker_type . . . . .	25
mds_onemap . . . . .	26
onemap_example_bc . . . . .	28
onemap_example_f2 . . . . .	29
onemap_example_out . . . . .	30
onemap_example_riself . . . . .	31
onemap_read_vcfR . . . . .	32
order_seq . . . . .	33
plot.onemap . . . . .	36
plot.onemap_segseg_test . . . . .	37
plot_by_segseg_type . . . . .	38
print.onemap_segseg_test . . . . .	39
rcd . . . . .	40
read_mapmaker . . . . .	42
read_onemap . . . . .	43
record . . . . .	45
rf_2pts . . . . .	47
rf_graph_table . . . . .	48
ripple_seq . . . . .	50
select_segseg . . . . .	52
seriation . . . . .	53

set_map_fun . . . . .	55
suggest_lod . . . . .	55
test_segregation . . . . .	56
test_segregation_of_a_marker . . . . .	57
try_seq . . . . .	58
ug . . . . .	60
vcf2raw . . . . .	61
vcf_example_bc . . . . .	63
vcf_example_f2 . . . . .	64
vcf_example_out . . . . .	65
vcf_example_riself . . . . .	66
write_map . . . . .	67
write_onemap_raw . . . . .	68

## Index 70

---

add_marker	<i>Creates a new sequence by adding markers.</i>
------------	--

---

### Description

Creates a new sequence by adding markers from a predetermined one. The markers are added in the end of the sequence.

### Usage

```
add_marker(input.seq, mrks)
```

### Arguments

input.seq	an object of class sequence.
mrks	a vector containing the markers to be added from the sequence.

### Value

An object of class sequence, which is a list containing the following components:

seq.num	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
seq.phases	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
seq.rf	a vector with the recombination fractions between markers in the sequence. -1 means that there are no estimated recombination fractions.
seq.like	log-likelihood of the corresponding linkage map.
data.name	name of the object of class onemap with the raw data.
twopt	name of the object of class rf_2pts with the 2-point analyses.

@author Marcelo Mollinari, <mmollina@usp.br>

**See Also**

[drop\\_marker](#)

**Examples**

```
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
(LG1 <- make_seq(groups,1))
(LG.aug<-add_marker(LG1, c(4,7)))
```

---

Bonferroni_alpha	<i>Calculates individual significance level to be used to achieve a global alpha (with Bonferroni)</i>
------------------	--

---

**Description**

It shows the alpha value to be used in each chi-square segregation test, in order to achieve a given global type I error. To do so, it uses Bonferroni's criteria.

**Usage**

```
Bonferroni_alpha(x, global.alpha = 0.05)
```

**Arguments**

x                    an object of class `onemap_segreg_test`  
 global.alpha        the global alpha that

**Value**

the alpha value for each test (numeric)

**Examples**

```
data(onemap_example_bc) # Loads a fake backcross dataset installed with onemap
Chi <- test_segregation(onemap_example_bc) # Performs the chi-square test for all markers
print(Chi) # Shows the results of the Chi-square tests
Bonferroni_alpha (Chi) # Shows the individual alpha level to be used
```

---

combine_onemap	<i>Combine OneMap datasets</i>
----------------	--------------------------------

---

### Description

Merge two or more OneMap datasets from the same cross type. Creates an object of class onemap.

### Usage

```
combine_onemap(...)
```

### Arguments

... Two or more onemap dataset objects of the same cross type.

### Details

Given a set of OneMap datasets, all from the same cross type (full-sib, backcross, F2 intercross or recombinant inbred lines obtained by self- or sib-mating), merges marker and phenotype information to create a single onemap object.

If sample IDs are present in all datasets (the standard new format), not all individuals need to be genotyped in all datasets - the merged dataset will contain all available information, with missing data elsewhere. If sample IDs are missing in at least one dataset, it is required that all datasets have the same number of individuals, and it is assumed that they are arranged in the same order in every dataset.

### Value

An object of class onemap, i.e., a list with the following components:

geno	a matrix with integers indicating the genotypes read for each marker. Each column contains data for a marker and each row represents an individual.
n.ind	number of individuals.
n.mar	number of markers.
segr.type	a vector with the segregation type of each marker, as strings.
segr.type.num	a vector with the segregation type of each marker, represented in a simplified manner as integers, i.e. 1 corresponds to markers of type "A"; 2 corresponds to markers of type "B1.5"; 3 corresponds to markers of type "B2.6"; 4 corresponds to markers of type "B3.7"; 5 corresponds to markers of type "C.8"; 6 corresponds to markers of type "D1" and 7 corresponds to markers of type "D2". Markers for F2 intercrosses are coded as 1; all other crosses are left as NA.
input	a string indicating that this is a combined dataset.
n.phe	number of phenotypes.
pheno	a matrix with phenotypic values. Each column contains data for a trait and each row represents an individual.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**References**

Lincoln, S. E., Daly, M. J. and Lander, E. S. (1993) Constructing genetic linkage maps with MAP-MAKER/EXP Version 3.0: a tutorial and reference manual. *A Whitehead Institute for Biomedical Research Technical Report*.

Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.

**See Also**

[read\\_onemap](#) and [read\\_mapmaker](#).

**Examples**

```
## Not run:
  combined_data <- combine_onemap(onemap_data1, onemap_data2)

## End(Not run)
```

---

compare	<i>Compare all possible orders (exhaustive search) for a given sequence of markers</i>
---------	--

---

**Description**

For a given sequence with  $n$  markers, computes the multipoint likelihood of all  $\frac{n!}{2}$  possible orders.

**Usage**

```
compare(input.seq, n.best = 50, tol = 0.001, verbose = FALSE)
```

**Arguments**

input.seq	an object of class sequence.
n.best	the number of best orders to store in object (defaults to 50).
tol	tolerance for the C routine, i.e., the value used to evaluate convergence.
verbose	if FALSE (default), simplified output is displayed. if TRUE, detailed output is displayed.

## Details

Since the number  $\frac{n!}{2}$  is large even for moderate values of  $n$ , this function is to be used only for sequences with relatively few markers. If markers were genotyped in an outcross population, linkage phases need to be estimated and therefore more states need to be visited in the Markov chain; when segregation types are D1, D2 and C, computation can required a very long time (specially when markers linked in repulsion are involved), so we recomend to use this function up to 6 or 7 markers. For inbred-based populations, up to 10 or 11 markers can be ordered with this function, since linkage phase are known. The multipoint likelihood is calculated according to Wu et al. (2002b) (Eqs. 7a to 11), assuming that the recombination fraction is the same in both parents. Hidden Markov chain codes adapted from Broman et al. (2008) were used.

## Value

An object of class `compare`, which is a list containing the following components:

<code>best.ord</code>	a matrix containing the best orders.
<code>best.ord.rf</code>	a matrix with recombination frequencies for the corresponding best orders.
<code>best.ord.phase</code>	a matrix with linkage phases for the best orders.
<code>best.ord.like</code>	a vector with log-likelihood values for the best orders.
<code>best.ord.LOD</code>	a vector with LOD Score values for the best orders.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

## Author(s)

Marcelo Mollinari, <mmollina@usp.br>

## References

- Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43
- Jiang, C. and Zeng, Z.-B. (1997). Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines. *Genetica* 101: 47-58.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.
- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *\_Heredity\_* 103: 494-502.
- Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.
- Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

## See Also

[marker\\_type](#) for details about segregation types and [make\\_seq](#).

## Examples

```
## Not run:
#outcrossing example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
markers <- make_seq(twopt, c(12, 14, 15, 26, 28))
(markers.comp <- compare(markers))
(markers.comp <- compare(markers, verbose=TRUE))

#F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
markers <- make_seq(twopt, c(17, 26, 29, 30, 44, 46, 55))
(markers.comp <- compare(markers))
(markers.comp <- compare(markers, verbose=TRUE))

## End(Not run)
```

---

create\_dataframe\_for\_plot\_outcross

*Create a dataframe suitable for a ggplot2 graphic*

---

## Description

An internal function that prepares a dataframe suitable for drawing a graphic of raw data using ggplot2, i. e., a data frame with long format

## Usage

```
create_dataframe_for_plot_outcross(x)
```

## Arguments

x an object of classes onemap and outcross, with data and additional information

## Value

a dataframe

---

create_data_bins	<i>New dataset based on bins</i>
------------------	----------------------------------

---

## Description

Creates a new dataset based on onemap\_bin object

## Usage

```
create_data_bins(input.obj, bins)
```

## Arguments

input.obj	an object of class onemap.
bins	an object of class onemap_bin.

## Details

Given a onemap\_bin object, creates a new data set where the redundant markers are collapsed into bins and represented by the marker with the lower amount of missing data among those on the bin.

## Value

an object of class onemap.

## Author(s)

Marcelo Mollinari, <mmollina@usp.br>

## See Also

[find\\_bins](#)

## Examples

```
## Not run:
load(url("https://github.com/mmollina/data/raw/master/fake_big_data_f2.RData"))
fake.big.data.f2
(bins <- find_bins(fake.big.data.f2, exact=FALSE))
(new.data <- create_data_bins(fake.big.data.f2, bins))
## End(Not run)
```

---

 draw\_map

*Draw a genetic map*


---

### Description

Provides a simple draw of a genetic map.

### Usage

```
draw_map(
  map.list,
  horizontal = FALSE,
  names = FALSE,
  grid = FALSE,
  cex.mrk = 1,
  cex.grp = 0.75
)
```

### Arguments

map.list	a map, i.e. an object of class sequence with a predefined order, linkage phases, recombination fraction and likelihood; also it could be a list of maps.
horizontal	if TRUE, indicates that the map should be plotted horizontally. Default is FALSE
names	if TRUE, displays the names of the markers. Default is FALSE
grid	if TRUE, displays a grid in the background. Default is FALSE
cex.mrk	the magnification to be used for markers.
cex.grp	the magnification to be used for group axis annotation.

### Author(s)

Marcelo Mollinari, <mmollina@usp.br>

### Examples

```
## Not run:
#outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
lg<-group(make_seq(twopt, "all"))
maps<-vector("list", lg$n.groups)
for(i in 1:lg$n.groups)
  maps[[i]]<- make_seq(order_seq(input.seq= make_seq(lg,i),twopt.alg =
  "rcd"), "force")
draw_map(maps, grid=TRUE)
draw_map(maps, grid=TRUE, horizontal=TRUE)
```

```

#F2 example
data(onemap_example_f2)
twopt<-rf_2pts(onemap_example_f2)
lg<-group(make_seq(twopt, "all"))
maps<-vector("list", lg$n.groups)
for(i in 1:lg$n.groups)
  maps[[i]]<- make_seq(order_seq(input.seq= make_seq(lg,i),twopt.alg =
  "rcd"), "force")
draw_map(maps, grid=TRUE)
draw_map(maps, grid=TRUE, horizontal=TRUE)

## End(Not run)

```

---

draw\_map2

*Draw a linkage map*


---

## Description

Provides a simple draw of a linkage map.

## Usage

```

draw_map2(
  ...,
  tag = NULL,
  id = TRUE,
  pos = TRUE,
  cex.label = NULL,
  main = NULL,
  group.names = NULL,
  centered = F,
  y.axis = TRUE,
  space = NULL,
  col.group = NULL,
  col.mark = NULL,
  col.tag = NULL,
  output = NULL
)

```

## Arguments

...	map(s). Object(s) of class sequence and/or data.frame. If data.frame, it must have two columns: column 1: marker id; column 2: position (cM) (numeric).
tag	name(s) of the marker(s) to highlight. If "all", all markers will be highlighted. Default is NULL.
id	logical. If TRUE (default), shows name(s) of tagged marker(s).

pos	logical. If TRUE (default), shows position(s) of tagged marker(s).
cex.label	the magnification used for label(s) of tagged marker(s). If NULL (default), the cex will be automatically calculated to avoid overlapping.
main	an overall title for the plot. Default is NULL.
group.names	name(s) to identify the group(s). If NULL (default), the name(s) of the sequence(s) will be used.
centered	logical. If TRUE, the group(s) will be aligned in the center. If FALSE (default), the group(s) will be aligned at the top.
y.axis	logical. If TRUE (default), shows y axis. If centered = TRUE, the y axis will always be hidden.
space	numerical. Spacing between groups. If NULL (default), the spacing will be automatically calculated to avoid overlapping.
col.group	the color used for group(s).
col.mark	the color used for marker(s).
col.tag	the color used for highlighted marker(s) and its/theirs label(s).
output	the name of the output file. The file format can be specified by adding its extension. Available formats: 'bmp', 'jpeg', 'png', 'tiff', 'pdf' and 'eps' (default).

### Author(s)

Getulio Caixeta Ferreira, <getulio.caifer@gmail.com>

### Examples

```
## Not run:
data("onemap_example_out")
twopt <- rf_2pts(onemap_example_out)
lg<-group(make_seq(twopt, "all"))
seq1<-make_seq(order_seq(input.seq= make_seq(lg,1),twopt.alg = "rcd"), "force")
seq2<-make_seq(order_seq(input.seq= make_seq(lg,2),twopt.alg = "rcd"), "force")
seq3<-make_seq(order_seq(input.seq= make_seq(lg,3),twopt.alg = "rcd"), "force")
draw_map2(seq1,seq2,seq3,tag = c("M1","M2","M3","M4","M5"))

data("onemap_example_f2")
twopt <- rf_2pts(onemap_example_f2)
lg<-group(make_seq(twopt, "all"))
seq<-list(
  make_seq(order_seq(input.seq= make_seq(lg,1),twopt.alg = "rcd"), "force"),
  make_seq(order_seq(input.seq= make_seq(lg,2),twopt.alg = "rcd"), "force"),
  make_seq(order_seq(input.seq= make_seq(lg,3),twopt.alg = "rcd"), "force")
)
draw_map2(seq,tag = "all",group.names = c("Chr 1","Chr 2","Chr 3"),main="Linkage Map")

## End(Not run)
```

---

drop_marker	<i>Creates a new sequence by dropping markers.</i>
-------------	--

---

### Description

Creates a new sequence by dropping markers from a predetermined one.

### Usage

```
drop_marker(input.seq, mrks)
```

### Arguments

input.seq	an object of class sequence.
mrks	a vector containing the markers to be removed from the sequence.

### Value

An object of class sequence, which is a list containing the following components:

seq.num	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
seq.phases	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
seq.rf	a vector with the recombination fractions between markers in the sequence. -1 means that there are no estimated recombination fractions.
seq.like	log-likelihood of the corresponding linkage map.
data.name	name of the object of class onemap with the raw data.
twopt	name of the object of class rf_2pts with the 2-point analyses.

@author Marcelo Mollinari, <mmollina@usp.br>

### See Also

[add\\_marker](#)

### Examples

```
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
(LG1 <- make_seq(groups,1))
(LG.aug<-drop_marker(LG1, c(10,14)))
```

---

`find_bins`*Allocate markers into bins*

---

**Description**

Function to allocate markers with redundant information into bins. Within each bin, the pairwise recombination fraction between markers is zero.

**Usage**

```
find_bins(input.obj, exact = TRUE, ch = NULL)
```

**Arguments**

<code>input.obj</code>	an object of class <code>onemap</code> .
<code>exact</code>	logical. If <code>TRUE</code> , it only allocates markers with the exact same information into bins, including missing data; if <code>FALSE</code> , missing data are not considered when allocating markers. In the latter case, the marker with the lowest amount of missing data is taken as the representative marker on that bin.
<code>ch</code>	not used in this <code>OneMap</code> version. Chromosome for which the analysis should be performed. If <code>NULL</code> the analysis is performed for all chromosomes.

**Value**

An object of class `onemap_bin`, which is a list containing the following components:

<code>bins</code>	a list containing the bins. Each element of the list is a table whose lines indicate the name of the marker, the bin in which that particular marker was allocated and the percentage of missing data. The name of each element of the list corresponds to the marker with the lower amount of missing data among those on the bin
<code>n.mar</code>	total number of markers.
<code>n.ind</code>	number individuals
<code>exact.search</code>	logical; indicates if the search was performed with the argument <code>exact=TRUE</code> or <code>exact=FALSE</code>

**Author(s)**

Marcelo Mollinari, <mmollina@usp.br>

**See Also**

[create\\_data\\_bins](#)

**Examples**

```
## Not run:
load(url("https://github.com/mmollina/data/raw/master/fake_big_data_f2.RData"))
fake.big.data.f2
(bins<-find_bins(fake.big.data.f2, exact=FALSE))
## End(Not run)
```

---

group	<i>Assign markers to linkage groups</i>
-------	---

---

**Description**

Identifies linkage groups of markers, using results from two-point (pairwise) analysis and the *transitive* property of linkage.

**Usage**

```
group(input.seq, LOD = NULL, max.rf = NULL, verbose = TRUE)
```

**Arguments**

<code>input.seq</code>	an object of class <code>sequence</code> .
<code>LOD</code>	a (positive) real number used as minimum LOD score (threshold) to declare linkage.
<code>max.rf</code>	a real number (usually smaller than 0.5) used as maximum recombination fraction to declare linkage.
<code>verbose</code>	logical. If <code>TRUE</code> , current progress is shown; if <code>FALSE</code> , no output is produced.

**Details**

If the arguments specifying thresholds used to group markers, i.e., minimum LOD Score and maximum recombination fraction, are `NULL` (default), the values used are those contained in object `input.seq`. If not using `NULL`, the new values override the ones in object `input.seq`.

**Value**

Returns an object of class `group`, which is a list containing the following components:

<code>data.name</code>	name of the object of class <code>onemap</code> that contains the raw data.
<code>twopt</code>	name of the object of class <code>rf.2ts</code> used as input, i.e., containing information used to assign markers to linkage groups.
<code>mar.names</code>	marker names, according to the input file.
<code>n.mar</code>	total number of markers.
<code>LOD</code>	minimum LOD Score to declare linkage.
<code>max.rf</code>	maximum recombination fraction to declare linkage.
<code>n.groups</code>	number of linkage groups found.
<code>groups</code>	number of the linkage group to which each marker is assigned.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com> and Marcelo Mollinari, <mmollina@usp.br>

**References**

Lincoln, S. E., Daly, M. J. and Lander, E. S. (1993) Constructing genetic linkage maps with MAP-MAKER/EXP Version 3.0: a tutorial and reference manual. *A Whitehead Institute for Biomedical Research Technical Report*.

**See Also**

[rf\\_2pts](#) and [make\\_seq](#)

**Examples**

```
data(onemap_example_out)
twopts <- rf_2pts(onemap_example_out)

all.data <- make_seq(twopts,"all")
link_gr <- group(all.data)
link_gr
print(link_gr, details=FALSE) #omit the names of the markers
```

---

group\_seq

*Assign markers to preexisting linkage groups*

---

**Description**

Identifies linkage groups of markers combining input sequences objects with unlinked markers from `rf_2pts` object. The results from two-point (pairwise) analysis and the *transitive* property of linkage are used for grouping, as `group` function.

**Usage**

```
group_seq(
  input.2pts,
  seqs = "CHROM",
  unlink.mks = "all",
  repeated = FALSE,
  LOD = NULL,
  max.rf = NULL
)
```

**Arguments**

input.2pts	an object of class rf_2pts.
seqs	a list of objects of class sequence or the string "CHROM" if there is CHROM information available in the input data file.
unlink.mks	a object of class sequence with the number of the markers to be grouped with the preexisting sequences defined by seqs parameter. Using the string "all", all remaining markers of the rf_2pts object will be tested.
repeated	logical. If TRUE, markers grouped in more than one of the sequences are kept in the output sequences. If FALSE, they are removed of the output sequences.
LOD	a (positive) real number used as minimum LOD score (threshold) to declare linkage.
max.rf	a real number (usually smaller than 0.5) used as maximum recombination fraction to declare linkage.

**Details**

If the arguments specifying thresholds used to group markers, i.e., minimum LOD Score and maximum recombination fraction, are NULL (default), the values used are those contained in object input.2pts. If not using NULL, the new values override the ones in object input.2pts.

**Value**

Returns an object of class group\_seq, which is a list containing the following components:

data.name	name of the object of class onemap that contains the raw data.
twopt	name of the object of class rf.2ts used as input, i.e., containing information used to assign markers to linkage groups.
mk.names	marker names, according to the input file.
input.seqs	list with the numbers of the markers in each inputted sequence
input.unlink.mks	numbers of the unlinked markers in inputted sequence
out.seqs	list with the numbers of the markers in each outputted sequence
n.unlinked	number of markers that remained unlinked
n.repeated	number of markers which repeated in more than one group
n.mar	total number of markers evaluated
LOD	minimum LOD Score to declare linkage.
max.rf	maximum recombination fraction to declare linkage.
sequences	list of outputted sequences
repeated	list with the number of the markers that are repeated in each outputted sequence
unlinked	number of the markers which remained unlinked

**Author(s)**

Cristiane Taniguti, <chtaniguti@usp.br>

**See Also**

[make\\_seq](#) and [group](#)

**Examples**

```
data(onemap_example_out) # load OneMap's fake dataset for a outcrossing population
data(vcf_example_out) # load OneMap's fake dataset from a VCF file for a outcrossing population
comb_example <- combine_onemap(onemap_example_out, vcf_example_out) # Combine datasets
twopts <- rf_2pts(comb_example)

out_CHROM <- group_seq(twopts, seqs="CHROM", repeated=FALSE)
out_CHROM

seq1 <- make_seq(twopts, c(1,2,3,4,5,25,26))
seq2 <- make_seq(twopts, c(8,18))
seq3 <- make_seq(twopts, c(4,16,20,21,24,29))

out_seqs <- group_seq(twopts, seqs=list(seq1,seq2,seq3))
out_seqs
```

---

make\_seq

*Create a sequence of markers*

---

**Description**

Makes a sequence of markers based on an object of another type.

**Usage**

```
make_seq(input.obj, arg = NULL, phase = NULL, data.name = NULL, twopt = NULL)
```

**Arguments**

input.obj	an object of class onemap, rf_2pts, group, compare, try or order.
arg	its value depends on the type of object input.obj. For a onemap object, arg must be a string corresponding to one of the reference sequences on which markers are anchored (usually chromosomes). This requires that CHROM information be available in the input data file. It can also be a vector of integers specifying which markers comprise the sequence. For an object rf_2pts, arg can be the string "all", resulting in a sequence with all markers in the raw data (generally done for grouping markers); otherwise, it must be a vector of integers specifying which markers comprise the sequence. For an object of class group, arg must be an integer specifying the group. For a compare object, arg is an integer indicating the corresponding order (arranged according to the likelihood); if NULL (default), the best order is taken. For an object of class try, arg must be an integer less than or equal to the length of the original sequence plus one;

the sequence obtained will be that with the additional marker in the position indicated by `arg`. Finally, for an order object, `arg` is a string: "safe" means the order that contains only markers mapped with the provided threshold; "force" means the order with all markers.

phase	its value is also dependent on the type of <code>input.obj</code> . For an <code>rf_2pts</code> or <code>onemap</code> object, phase can be a vector with user- defined linkage phases (its length is equal to the number of markers minus one); if NULL (default), other functions will try to find the best linkage phases. For example, if phase takes on the vector <code>c(1,2,3,4)</code> , the sequence of linkage phases will be coupling/coupling, coupling/repulsion, repulsion/coupling and repulsion/repulsion for a sequence of five markers. If <code>input.obj</code> is of class <code>compare</code> or <code>try</code> , this argument indicates which combination of linkage phases should be chosen, for the particular order given by argument <code>arg</code> . In both cases, NULL (default) makes the best combination to be taken. If <code>input.obj</code> is of class, <code>group</code> or <code>order</code> , this argument has no effect.
data.name	a string indicating the name of the object which contains the raw data. This does not have to be defined by the user: it is here for compatibility issues when calling <code>make_seq</code> from inside other functions.
twopt	a string indicating the name of the object which contains the two-point information. This does not have to be defined by the user: it is here for compatibility issues when calling <code>make_seq</code> from inside other functions.

## Value

An object of class `sequence`, which is a list containing the following components:

seq.num	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
seq.phases	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
seq.rf	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
seq.like	log-likelihood of the corresponding linkage map.
data.name	name of the object of class <code>onemap</code> with the raw data.
twopt	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

## Author(s)

Gabriel Margarido, <gramarga@gmail.com>

## References

Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.

**See Also**

[compare](#), [try\\_seq](#), [order\\_seq](#) and [map](#).

**Examples**

```
## Not run:
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)

all_mark <- make_seq(twopt,"all")
all_mark <- make_seq(twopt,1:30) # same as above, for this data set
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.ord <- order_seq(LG1)
(LG1.final <- make_seq(LG1.ord)) # safe order
(LG1.final.all <- make_seq(LG1.ord,"force")) # forced order

markers <- make_seq(twopt,c(2,3,12,14))
markers.comp <- compare(markers)
(base.map <- make_seq(markers.comp))
base.map <- make_seq(markers.comp,1,1) # same as above
(extend.map <- try_seq(base.map,30))
(base.map <- make_seq(extend.map,5)) # fifth position is the best

## End(Not run)
```

---

map

---

*Construct the linkage map for a sequence of markers*


---

**Description**

Estimates the multipoint log-likelihood, linkage phases and recombination frequencies for a sequence of markers in a given order.

**Usage**

```
map(input.seq, tol = 1e-04, verbose = FALSE, mds.seq = FALSE)
```

**Arguments**

<code>input.seq</code>	an object of class sequence.
<code>tol</code>	tolerance for the C routine, i.e., the value used to evaluate convergence.
<code>verbose</code>	If TRUE, print tracing information.
<code>mds.seq</code>	When some pair of markers do not follow the linkage criteria, if TRUE one of the markers is removed and returns a vector with remaining marker numbers (useful for <code>mds_onemap</code> function).

## Details

Markers are mapped in the order defined in the object `input.seq`. If this object also contains a user-defined combination of linkage phases, recombination frequencies and log-likelihood are estimated for that particular case. Otherwise, the best linkage phase combination is also estimated. The multipoint likelihood is calculated according to Wu et al. (2002b)(Eqs. 7a to 11), assuming that the recombination fraction is the same in both parents. Hidden Markov chain codes adapted from Broman et al. (2008) were used.

## Value

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
<code>seq.like</code>	log-likelihood of the corresponding linkage map.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

## Author(s)

Adapted from Karl Broman (package 'qtl') by Gabriel R A Margarido, <gramarga@usp.br> and Marcelo Mollinari, <mmollina@gmail.com>

## References

- Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43
- Jiang, C. and Zeng, Z.-B. (1997). Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines. *Genetica* 101: 47-58.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.
- Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.
- Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

## See Also

[make\\_seq](#)

**Examples**

```
## Not run:
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)

markers <- make_seq(twopt,c(30,12,3,14,2)) # correct phases
map(markers)

markers <- make_seq(twopt,c(30,12,3,14,2),phase=c(4,1,4,3)) # incorrect phases
map(markers)
## End(Not run)
```

---

mapmaker\_example\_bc     *Simulated data from a backcross population*

---

**Description**

Simulated data set from a backcross population.

**Usage**

```
data(mapmaker_example_bc)
```

**Format**

The format is: List of 8 \$ geno : num [1:150, 1:67] 1 2 1 1 2 1 2 1 1 2 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : NULL .. ..\$ : chr [1:67] "M1" "M2" "M3" "M4" ... \$ n.ind : num 150 \$ n.mar : num 67 \$ segr.type : chr [1:67] "A.H" "A.H" "A.H" "A.H" ... \$ segr.type.num: logi [1:67] NA NA NA NA NA NA NA ... \$ input : chr "inst/extdata/mapmaker\_example\_bc.raw" \$ n.phe : num 1 \$ pheno : num [1:150, 1] 40.8 39.5 37.9 34.2 38.9 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : NULL .. ..\$ : chr "Trait\_1" - attr(\*, "class")= chr [1:2] "onemap" "backcross"

**Details**

A total of 150 individuals were genotyped for 67 markers with 15% of missing data. There is one quantitative phenotype to show how to use onemap output as R\qt1 input.

**Author(s)**

Marcelo Mollinari, <mmollina@usp.br>

**See Also**

[read\\_onemap](#) and [read\\_mapmaker](#).

**Examples**

```
data(mapmaker_example_bc)

# perform two-point analyses
twopts <- rf_2pts(mapmaker_example_bc)
twopts
```

---

mapmaker\_example\_f2     *Simulated data from a F2 population*

---

**Description**

Simulated data set from a F2 population.

**Usage**

```
data("mapmaker_example_f2")
```

**Format**

The format is: List of 8 \$ geno : num [1:200, 1:66] 1 3 2 2 1 0 3 1 1 3 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$: NULL .. ..\$: chr [1:66] "M1" "M2" "M3" "M4" ... \$ n.ind : num 200 \$ n.mar : num 66 \$ segr.type : chr [1:66] "A.H.B" "C.A" "D.B" "C.A" ... \$ segr.type.num: num [1:66] 1 3 2 3 3 2 1 3 2 1 ... \$ input : chr "/home/cristiane/R/x86\_64-pc-linux-gnu-library/3.4/onemap/extdata/mapmaker\_example\_f2.raw" \$ n.phe : num 1 \$ pheno : num [1:200, 1] 37.6 36.4 37.2 35.8 37.1 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$: NULL .. ..\$: chr "Trait\_1" - attr(\*, "class")= chr [1:2] "onemap" "f2"

**Details**

A total of 200 individuals were genotyped for 66 markers (36 co-dominant, i.e. a, ab or b and 30 dominant i.e. c or a and d or b) with 15% of missing data. There is one quantitative phenotype to show how to use onemap output as R\qt1 and QTL Cartographer input. Also, it is used for the analysis in the tutorial that comes with OneMap.

**Examples**

```
data(mapmaker_example_f2)

# perform two-point analyses
twopts <- rf_2pts(mapmaker_example_f2)
twopts
```

---

`map_func`*Mapping functions Haldane and Kosambi*

---

**Description**

Functions to convert recombination fractions to distance in cM (centiMorgans).

**Usage**

```
haldane(rcmb)
kosambi(rcmb)
```

**Arguments**

`rcmb` A recombination fraction between two markers, i.e., a number between 0 and 0.5.

**Details**

Haldane mapping function is defined as

$$d_M = -\frac{1}{2} \ln(1 - 2r),$$

for  $0 \leq r \leq 0.5$ , where  $r$  stands for the recombination fraction in `rcmb`. Kosambi mapping function is

$$d_M = \frac{1}{4} \ln \left[ \frac{1 + 2r}{1 - 2r} \right],$$

for  $0 \leq r \leq 0.5$ , where  $r$  is defined as above.

**Value**

Both functions return a number with a distance measured in cM.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**References**

Haldane, J. B. S. (1919) The combination of linkage values and the calculation of distance between the loci of linked factors. *Journal of Genetics* 8: 299-309.

Kosambi, D. D. (1944) The estimation of map distance from recombination values. *Annuaire of Eugenetics* 12: 172-175.

**Examples**

```
# little difference for small recombination fractions
haldane(0.05)
kosambi(0.05)

# greater difference as recombination fraction increases
haldane(0.35)
kosambi(0.35)
```

---

marker\_type

*Informs the segregation patterns of markers*


---

**Description**

Informs the type of segregation of all markers from an object of class `sequence`. For outcross populations it uses the notation by *Wu et al., 2002*. For backcrosses, F2s and RILs, it uses the traditional notation from MAPMAKER i.e. AA, AB, BB, not AA and not BB.

**Usage**

```
marker_type(input.seq)
```

**Arguments**

`input.seq`      an object of class `sequence`.

**Details**

The segregation types are (*Wu et al., 2002*):

Type	Cross	Segregation
A.1	ab x cd	1:1:1:1
A.2	ab x ac	1:1:1:1
A.3	ab x co	1:1:1:1
A.4	ao x bo	1:1:1:1
B1.5	ab x ao	1:2:1
B2.6	ao x ab	1:2:1
B3.7	ab x ab	1:2:1
C8	ao x ao	3:1
D1.9	ab x cc	1:1
D1.10	ab x aa	1:1
D1.11	ab x oo	1:1
D1.12	bo x aa	1:1
D1.13	ao x oo	1:1
D2.14	cc x ab	1:1
D2.15	aa x ab	1:1
D2.16	oo x ab	1:1
D2.17	aa x bo	1:1
D2.18	oo x ao	1:1

**Value**

Nothing is returned. Segregation types of all markers in the sequence are displayed on the screen.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**References**

Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.

**See Also**

[make\\_seq](#)

**Examples**

```
data(onemap_example_out)
twopts <- rf_2pts(onemap_example_out)
markers.ex <- make_seq(twopts,c(3,6,8,12,16,25))
marker_type(markers.ex) # segregation type for some markers
```

```
data(onemap_example_f2)
twopts <- rf_2pts(onemap_example_f2)
all_mrk<-make_seq(twopts, "all")
lgs<-group(all_mrk)
lg1<-make_seq(lgs,1)
marker_type(lg1) # segregation type for linkage group 1
```

---

mds\_onemap

*OneMap interface with MDSMap package with possibilitie of multi-point distances estimation*

---

**Description**

For a given sequence of markers, apply mds method described in Preedy and Hackett (2016) using MDSMap package to ordering markers and estimates the genetic distances with OneMap multipoint approach. Also gives MDSMap input file format for directly analysis in this package.

**Usage**

```
mds_onemap(
  input.seq,
  out.file = "out.file",
  mds.graph.file = "NULL.pdf",
```

```

    p = NULL,
    n = NULL,
    ispc = TRUE,
    displaytext = FALSE,
    weightfn = "lod2",
    mapfn = "haldane",
    hmm = TRUE,
    mds.seq = TRUE
  )

```

### Arguments

<code>input.seq</code>	an object of class <code>sequence</code>
<code>out.file</code>	path to the generated MDSMap input file.
<code>mds.graph.file</code>	path to the graphic generated by MDSMap
<code>p</code>	Integer - the penalty for deviations from the sphere - higher <code>p</code> forces points more closely onto a sphere.
<code>n</code>	Vector of integers or strings containing markers to be omitted from the analysis.
<code>ispc</code>	Logical determining the method to be used to estimate the map. By default this is <code>TRUE</code> and the method of principal curves will be used. If <code>FALSE</code> then the constrained MDS method will be used.
<code>displaytext</code>	Shows markers names in analysis graphic view
<code>weightfn</code>	Character string specifying the values to use for the weight matrix in the MDS 'lod2' or 'lod'.
<code>mapfn</code>	Character string specifying the map function to use on the recombination fractions 'haldane' is default, 'kosambi' or 'none'.
<code>hmm</code>	Multipoint genetic distance estimation
<code>mds.seq</code>	When some pair of markers do not follow the linkage criteria, if <code>TRUE</code> one of the markers is removed and <code>mds</code> is performed again.

### Details

For better description about MDS method, see MDSMap package vignette.

### Value

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
<code>seq.like</code>	log-likelihood of the corresponding linkage map.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

**Author(s)**

Cristiane Taniguti, <chtaniguti@usp.br>

**References**

Preedy, K. F. and Hackett, C. A. (2016). A rapid marker ordering approach for high-density genetic linkage maps in experimental autotetraploid populations using multidimensional scaling. *Theoretical and Applied Genetics* 129: 2117-2132

Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.

Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.

Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

**See Also**

<https://CRAN.R-project.org/package=MDSMap>.

---

onemap\_example\_bc

*Simulated data from a backcross population*

---

**Description**

Simulated data set from a backcross population.

**Usage**

```
data(onemap_example_bc)
```

**Format**

The format is: List of 10 \$ geno : num [1:150, 1:67] 1 2 1 1 2 1 2 1 1 2 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : chr [1:150] "ID1" "ID2" "ID3" "ID4" ... .. ..\$ : chr [1:67] "M1" "M2" "M3" "M4" ... \$ n.ind : int 150 \$ n.mar : int 67 \$ segr.type : chr [1:67] "A.H" "A.H" "A.H" "A.H" ... \$ segr.type.num: logi [1:67] NA NA NA NA NA NA ... \$ n.phe : int 1 \$ pheno : num [1:150, 1] 40.8 39.5 37.9 34.2 38.9 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : NULL .. ..\$ : chr "Trait\_1" \$ CHROM : NULL \$ POS : NULL \$ input : chr "onemap\_example\_bc.raw" - attr(\*, "class")= chr [1:2] "onemap" "backcross"

**Details**

A total of 150 individuals were genotyped for 67 markers with 15% of missing data. There is one quantitative phenotype to show how to use onemap output as R\qt1 input.

**Author(s)**

Marcelo Mollinari, <mmollina@usp.br>

**See Also**

[read\\_onemap](#) and [read\\_mapmaker](#).

**Examples**

```
data(onemap_example_bc)

# perform two-point analyses
twopts <- rf_2pts(onemap_example_bc)
twopts
```

---

onemap\_example\_f2      *Simulated data from a F2 population*

---

**Description**

Simulated data set from a F2 population.

**Usage**

```
data("onemap_example_f2")
```

**Format**

The format is: List of 10 \$ geno : num [1:200, 1:66] 1 3 2 2 1 0 3 1 1 3 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : chr [1:200] "IND1" "IND2" "IND3" "IND4" ... .. ..\$ : chr [1:66] "M1" "M2" "M3" "M4" ... \$ n.ind : int 200 \$ n.mar : int 66 \$ segr.type : chr [1:66] "A.H.B" "C.A" "D.B" "C.A" ... \$ segr.type.num: num [1:66] 1 3 2 3 3 2 1 3 2 1 ... \$ n.phe : int 1 \$ pheno : num [1:200, 1] 37.6 36.4 37.2 35.8 37.1 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : NULL .. ..\$ : chr "Trait\_1" \$ CHROM : NULL \$ POS : NULL \$ input : chr "/home/cristiane/R/x86\_64-pc-linux-gnu-library/3.4/onemap/extdata/onemap\_example\_f2.raw" - attr(\*, "class")= chr [1:2] "onemap" "f2"

**Details**

A total of 200 individuals were genotyped for 66 markers (36 co-dominant, i.e. a, ab or b and 30 dominant i.e. c or a and d or b) with 15% of missing data. There is one quantitative phenotype to show how to use onemap output as R\qt1 and QTL Cartographer input. Also, it is used for the analysis in the tutorial that comes with OneMap.

**Examples**

```
data(onemap_example_f2)
plot(onemap_example_f2)
```

---

onemap\_example\_out      *Data from a full-sib family derived from two outbred parents*

---

### Description

Simulated data set for an outcross, i.e., an F1 population obtained by crossing two non-homozygous parents.

### Usage

```
data(onemap_example_out)
```

### Format

An object of class onemap.

### Details

A total of 100 F1 individuals were genotyped for 30 markers. The data currently contains only genotype information (no phenotypes). It is included to be used as a reference in order to understand how a data file needs to be. Also, it is used for the analysis in the tutorial that comes with OneMap.

### Author(s)

Gabriel R A Margarido, <gramarga@gmail.com>

### See Also

[read\\_onemap](#) for details about objects of class onemap.

### Examples

```
data(onemap_example_out)

# perform two-point analyses
twopts <- rf_2pts(onemap_example_out)
twopts
```

---

onemap\_example\_riself *Simulated data from a RIL population produced by selfing.*

---

## Description

Simulated biallelic data set for an ri self population.

## Usage

```
data("onemap_example_riself")
```

## Format

The format is: List of 10 \$ geno : num [1:100, 1:68] 3 1 3 1 1 1 1 1 1 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$ : chr [1:100] "ID1" "ID2" "ID3" "ID4" ... .. ..\$ : chr [1:68] "M1" "M2" "M3" "M4" ... \$ n.ind : int 100 \$ n.mar : int 68 \$ segr.type : chr [1:68] "A.B" "A.B" "A.B" "A.B" ... \$ segr.type.num: logi [1:68] NA NA NA NA NA NA ... \$ n.phe : int 0 \$ pheno : NULL \$ CHROM : NULL \$ POS : NULL \$ input : chr "onemap\_example\_riself.raw" - attr(\*, "class")= chr [1:2] "onemap" "riself"

## Details

A total of 100 F1 individuals were genotyped for 68 markers. The data currently contains only genotype information (no phenotypes). It is included to be used as a reference in order to understand how a data file needs to be.

## Author(s)

Cristiane Taniguti, <chtaniguti@usp.br>

## See Also

[read\\_onemap](#) for details about objects of class onemap.

## Examples

```
data(onemap_example_riself)
plot(onemap_example_riself)
```

---

onemap_read_vcfR	<i>Convert vcfR object to onemap object</i>
------------------	---

---

### Description

Converts data from a vcfR package to onemap initial object, while trying to identify the appropriate marker segregation patterns.

### Usage

```
onemap_read_vcfR(  
  vcfR.object = NULL,  
  cross = c("outcross", "f2 intercross", "f2 backcross", "ri self", "ri sib"),  
  parent1 = NULL,  
  parent2 = NULL  
)
```

### Arguments

vcfR.object	object of class 'vcfR' from vcfR package.
cross	type of cross. Must be one of: "outcross" for full-sibs; "f2 intercross" for an F2 intercross progeny; "f2 backcross"; "ri self" for recombinant inbred lines by self-mating; or "ri sib" for recombinant inbred lines by sib-mating.
parent1	string specifying sample ID of the first parent.
parent2	string specifying sample ID of the second parent.

### Details

Only biallelic SNPs and indels for diploid variant sites are considered.

Genotype information on the parents is required for all cross types. For full-sib progenies, both outbred parents must be genotyped. For backcrosses, F2 intercrosses and recombinant inbred lines, the *original inbred lines* must be genotyped. Particularly for backcross progenies, the *recurrent line must be provided as the first parent* in the function arguments.

Marker type is determined based on parental genotypes. Variants for which parent genotypes cannot be determined are discarded.

Reference sequence ID and position for each variant site are also stored.

### Author(s)

Cristiane Taniguti, <chtaniguti@usp.br>

### See Also

read\_onemap for a description of the output object of class onemap.

## Examples

```
## Not run:
vcfR.object <- vcfR::read.vcfR(system.file("extdata/vcf_example_out.vcf", package = "onemap"))
data <- onemap_read_vcfR(vcfR.object=vcfR.object,
                        cross="outcross",
                        parent1=c("P1"),
                        parent2=c("P2"))

## End(Not run)
```

---

order_seq	<i>Search for the best order of markers combining compare and try_seq functions</i>
-----------	---

---

## Description

For a given sequence of markers, this function first uses the `compare` function to create a framework for a subset of informative markers. Then, it tries to map remaining ones using the `try_seq` function.

## Usage

```
order_seq(
  input.seq,
  n.init = 5,
  subset.search = c("twopt", "sample"),
  subset.n.try = 30,
  subset.THRES = 3,
  twopt.alg = c("rec", "rcd", "ser", "ug"),
  THRES = 3,
  touchdown = FALSE,
  tol = 0.1
)
```

## Arguments

<code>input.seq</code>	an object of class <code>sequence</code> .
<code>n.init</code>	the number of markers to be used in the <code>compare</code> step (defaults to 5).
<code>subset.search</code>	a character string indicating which method should be used to search for a subset of informative markers for the <code>compare</code> step. It is used for backcross, $F_2$ or RIL populations, but not for outcrosses. See the <code>Details</code> section.
<code>subset.n.try</code>	integer. The number of times to repeat the subset search procedure. It is only used if <code>subset.search=="sample"</code> . See the <code>Details</code> section.
<code>subset.THRES</code>	numerical. The threshold for the subset search procedure. It is only used if <code>subset.search=="sample"</code> . See the <code>Details</code> section.

twopt.alg	a character string indicating which two-point algorithm should be used if subset.search=="twopt". See the Details section.
THRES	threshold to be used when positioning markers in the try_seq step.
touchdown	logical. If FALSE (default), the try_seq step is run only once, with the value of THRES. If TRUE, try_seq runs with THRES and then once more, with THRES-1. The latter calculations take longer, but usually are able to map more markers.
tol	tolerance number for the C routine, i.e., the value used to evaluate convergence of the EM algorithm.

### Details

For outcrossing populations, the initial subset and the order in which remaining markers will be used in the try\_seq step is given by the degree of informativeness of markers (i.e markers of type A, B, C and D, in this order).

For backcrosses, F2s or RILs, two methods can be used for choosing the initial subset: i) "sample" randomly chooses a number of markers, indicated by n.init, and calculates the multipoint log-likelihood of the  $\frac{n.init!}{2}$  possible orders. If the LOD Score of the second best order is greater than subset.THRES, than it takes the best order to proceed with the try\_seq step. If not, the procedure is repeated. The maximum number of times to repeat this procedure is given by the subset.n.try argument. ii) "twopt" uses a two-point based algorithm, given by the option "twopt.alg", to construct a two-point based map. The options are "rec" for RECORD algorithm, "rcd" for Rapid Chain Delineation, "ser" for Seriation and "ug" for Unidirectional Growth. Then, equally spaced markers are taken from this map. The "compare" step will then be applied on this subset of markers.

In both cases, the order in which the other markers will be used in the try\_seq step is given by marker types (i.e. co-dominant before dominant) and by the missing information on each marker.

After running the compare and try\_seq steps, which result in a "safe" order, markers that could not be mapped are "forced" into the map, resulting in a map with all markers positioned.

### Value

An object of class order, which is a list containing the following components:

ord	an object of class sequence containing the "safe" order.
mrk.unpos	a vector with unpositioned markers (if they exist).
LOD.unpos	a matrix with LOD-Scores for unmapped markers, if any, for each position in the "safe" order.
THRES	the same as the input value, just for printing.
ord.all	an object of class sequence containing the "forced" order, i.e., the best order with all markers.
data.name	name of the object of class onemap with the raw data.
twopt	name of the object of class rf_2pts with the 2-point analyses.

### Author(s)

Gabriel R A Margarido, <gramarga@usp.br> and Marcelo Mollinari, <mmollina@gmail.com>

## References

- Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43
- Jiang, C. and Zeng, Z.-B. (1997). Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines. *Genetica* 101: 47-58.
- Lander, E. S. and Green, P. (1987). Construction of multilocus genetic linkage maps in humans. *Proc. Natl. Acad. Sci. USA* 84: 2363-2367.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.
- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.
- Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.
- Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

## See Also

[make\\_seq](#), [compare](#) and [try\\_seq](#).

## Examples

```
## Not run:
#outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG2 <- make_seq(groups,2)
LG2.ord <- order_seq(LG2,touchdown=TRUE)
LG2.ord
make_seq(LG2.ord) # get safe sequence
make_seq(LG2.ord,"force") # get forced sequence

#F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG3 <- make_seq(groups,3)
LG3.ord <- order_seq(LG3, subset.search = "twopt", twopt.alg = "rcd", touchdown=TRUE)
LG3.ord
make_seq(LG3.ord) # get safe sequence
ord.1<-make_seq(LG3.ord,"force") # get forced sequence

LG3.ord.s <- order_seq(LG3, subset.search = "sample", touchdown=TRUE)
```

```

LG3.ord.s
make_seq(LG3.ord) # get safe sequence
ord.2<-make_seq(LG3.ord,"force") # get forced sequence

rbind(ord.1$seq.num, ord.2$seq.num) # probably, the same order for
this dataset

## End(Not run)

```

---

plot.onemap

*Draw a graphic of raw data for any OneMap population*


---

### Description

Shows a heatmap (in ggplot2, a graphic of geom "tile") for raw data. Lines correspond to markers and columns to individuals. The function can plot a graph for all marker types, depending of the cross type (dominant/codominant markers, in all combinations). The function receives a onemap object of class onemap, reads information from genotypes from this object, converts it to a long dataframe format using function melt() from package reshape2() or internal function create\_dataframe\_for\_plot\_outcross(), converts numbers from the object to genetic notation (according to the cross type), then plots the graphic. If there is more than 20 markers, removes y labels For outcross populations, it can show all markers together, or it can split them according the segregation pattern.

### Usage

```

## S3 method for class 'onemap'
plot(x, all = TRUE, ...)

```

### Arguments

x	an object of class onemap, with data and additional information
all	a TRUE/FALSE option to indicate if results will be plotted together (if TRUE) or splitted based on their segregation pattern. Only used for outcross populations.
...	currently ignored

### Value

a ggplot graphic

### Examples

```

## Not run:
data(onemap_example_bc) # Loads a fake backcross dataset installed with onemap
plot(onemap_example_bc) # This will show you the graph

# You can store the graphic in an object, then save it with a number of properties

```

```

# For details, see the help of ggplot2's function ggsave()
g <- plot(onemap_example_bc)
ggplot2::ggsave("MyRawData_bc.jpg", g, width=7, height=4, dpi=600)

data(onemap_example_f2) # Loads a fake backcross dataset installed with onemap
plot(onemap_example_f2) # This will show you the graph

# You can store the graphic in an object, then save it with a number of properties
# For details, see the help of ggplot2's function ggsave()
g <- plot(onemap_example_f2)
ggplot2::ggsave("MyRawData_f2.jpg", g, width=7, height=4, dpi=600)

data(onemap_example_out) # Loads a fake full-sib dataset installed with onemap
plot(onemap_example_out) # This will show you the graph for all markers
plot(onemap_example_out, all=FALSE) # This will show you the graph splitted for marker types

# You can store the graphic in an object, then save it.
# For details, see the help of ggplot2's function ggsave()
g <- plot(onemap_example_out, all=FALSE)
ggplot2::ggsave("MyRawData_out.jpg", g, width=9, height=4, dpi=600)

## End(Not run)

```

---

```
plot.onemap_segreg_test
```

*Plot p-values for chi-square tests of expected segregation*

---

## Description

Draw a graphic showing the p-values (re-scaled to  $-\log_{10}(\text{p-values})$ ) associated with the chi-square tests for the expected segregation patterns for all markers in a dataset. It includes a vertical line showing the threshold for declaring statistical significance if Bonferroni's correction is considered, as well as the percentage of markers that will be discarded if this criterion is used.

## Usage

```
## S3 method for class 'onemap_segreg_test'
plot(x, order = TRUE, ...)
```

## Arguments

x	an object of class <code>onemap_segreg_test</code> (produced by <code>onemap</code> 's function <code>test_segregation()</code> ), i. e., after performing segregation tests
order	a variable to define if p-values will be ordered in the plot
...	currently ignored

**Value**

a ggplot graphic

**Examples**

```
data(onemap_example_bc) # load OneMap's fake dataset for a backcross population
BC.seg <- test_segregation(onemap_example_bc) # Applies chi-square tests
print(BC.seg) # Shows the results
plot(BC.seg) # Plot the graph, ordering the p-values
plot(BC.seg, order=FALSE) # Plot the graph showing the results keeping the order in the dataset
# You can store the graphic in an object, then save it.
# For details, see the help of ggplot2's function ggsave()
# g <- plot(BC.seg)
# ggplot2::ggsave("SegregationTests.jpg", g, width=7, height=5, dpi=600)

data(onemap_example_out) # load OneMap's fake dataset for an outcrossing population
Out.seg <- test_segregation(onemap_example_out) # Applies chi-square tests
print(Out.seg) # Shows the results
plot(Out.seg) # Plot the graph, ordering the p-values
plot(Out.seg, order=FALSE) # Plot the graph showing the results keeping the order in the dataset
# You can store the graphic in an object, then save it.
# For details, see the help of ggplot2's function ggsave()
g <- plot(Out.seg)
# ggplot2::ggsave("SegregationTests.jpg", g, width=7, height=5, dpi=600)
```

---

plot_by_segreg_type	<i>Draw a graphic showing the number of markers of each segregation pattern.</i>
---------------------	--

---

**Description**

The function receives an object of class onemap. For outcrossing populations, it can show detailed information (all 18 possible categories), or a simplified version.

**Usage**

```
plot_by_segreg_type(x, subcateg = TRUE)
```

**Arguments**

x	an object of class onemap
subcateg	a TRUE/FALSE option to indicate if results will be plotted showing all possible categories (only for outcrossing populations)

**Value**

a ggplot graphic

**Examples**

```

data(onemap_example_out) #Outcrossing data
plot_by_segreg_type(onemap_example_out)
plot_by_segreg_type(onemap_example_out, subcateg=FALSE)

data(onemap_example_bc)
plot_by_segreg_type(onemap_example_bc)

data(mapmaker_example_f2)
plot_by_segreg_type(mapmaker_example_f2)

# You can store the graphic in an object, then save it.
# For details, see the help of ggplot2's function ggsave()
# data(onemap_example_out) #Outcrossing data
# g <- plot_by_segreg_type(onemap_example_out)
# ggplot2::ggsave("SegregationTypes.jpg", g, width=7, height=4, dpi=600)

```

---

```
print.onemap_segreg_test
```

*Show the results of segregation tests*

---

**Description**

It shows the results of Chisquare tests performed for all markers in a onemap object of cross type outcross, backcross, F2 intercross or recombinant inbred lines.

**Usage**

```
## S3 method for class 'onemap_segreg_test'
print(x, ...)
```

**Arguments**

x	an object of class onemap_segreg_test
...	currently ignored

**Value**

a dataframe with marker name, H0 hypothesis, chi-square statistics, p-values, and

**Examples**

```

data(onemap_example_out) # Loads a fake outcross dataset installed with onemap
Chi <- test_segregation(onemap_example_out) # Performs the chi-square test for all markers
print(Chi) # Shows the results

```

---

rcd *Rapid Chain Delineation*

---

### Description

Implements the marker ordering algorithm *Rapid Chain Delineation* (Doerge, 1996).

### Usage

```
rcd(input.seq, LOD = 0, max.rf = 0.5, tol = 1e-04)
```

### Arguments

<code>input.seq</code>	an object of class <code>sequence</code> .
<code>LOD</code>	minimum LOD-Score threshold used when constructing the pairwise recombination fraction matrix.
<code>max.rf</code>	maximum recombination fraction threshold used as the LOD value above.
<code>tol</code>	tolerance for the C routine, i.e., the value used to evaluate convergence.

### Details

*Rapid Chain Delineation (RCD)* is an algorithm for marker ordering in linkage groups. It is not an exhaustive search method and, therefore, is not computationally intensive. However, it does not guarantee that the best order is always found. The only requirement is a matrix with recombination fractions between markers. Next is an excerpt from QTL Cartographer Version 1.17 Manual describing the *RCD* algorithm (Basten et al., 2005):

*The linkage group is initiated with the pair of markers having the smallest recombination fraction. The remaining markers are placed in a “pool” awaiting placement on the map. The linkage group is extended by adding markers from the pool of unlinked markers. Each terminal marker of the linkage group is a candidate for extension of the chain: The unlinked marker that has the smallest recombination fraction with either is added to the chain subject to the provision that the recombination fraction is statistically significant at a prespecified level. This process is repeated as long as markers can be added to the chain.*

After determining the order with *RCD*, the final map is constructed using the multipoint approach (function [map](#)).

### Value

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.

seq.like	log-likelihood of the corresponding linkage map.
data.name	name of the object of class onemap with the raw data.
twopt	name of the object of class rf_2pts with the 2-point analyses.

### Author(s)

Gabriel R A Margarido, <gramarga@gmail.com>

### References

Basten, C. J., Weir, B. S. and Zeng, Z.-B. (2005) *QTL Cartographer Version 1.17: A Reference Manual and Tutorial for QTL Mapping*.

Doerge, R. W. (1996) Constructing genetic maps by rapid chain delineation. *Journal of Quantitative Trait Loci 2*: 121-132.

Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity 103*: 494-502.

### See Also

[make\\_seq](#), [map](#)

### Examples

```
## Not run:
#outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.rcd <- rcd(LG1)

#F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.rcd <- rcd(LG1)
LG1.rcd

## End(Not run)
```

---

read_mapmaker	<i>Read data from a Mapmaker raw file</i>
---------------	---

---

### Description

Imports data from a Mapmaker raw file.

### Usage

```
read_mapmaker(dir, file)
```

### Arguments

dir	directory where the input file is located.
file	the name of the input file which contains the data to be read.

### Details

For details about MAPMAKER files see *Lincoln et al. (1993)*. The current version supports back-cross, F2s and RIL populations. The file can contain phenotypic data, but it will not be used in the analysis.

### Value

An object of class `onemap`, i.e., a list with the following components:

geno	a matrix with integers indicating the genotypes read for each marker in <code>onemap</code> fashion. Each column contains data for a marker and each row represents an individual.
geno.mmkk	a matrix with integers indicating the genotypes read for each marker in MAPMAKER/EXP fashion, i.e., 1, 2, 3: AA, AB, BB, respectively; 3, 4: BB, not BB, respectively; 1, 5: AA, not AA, respectively. Each column contains data for a marker and each row represents an individual.
n.ind	number of individuals.
n.mar	number of markers.
segr.type	a vector with the segregation type of each marker, as strings. Segregation types were adapted from outcross segregation types, using the same notation. For details see <a href="#">read_onemap</a> .
segr.type.num	a vector with the segregation type of each marker, represented in a simplified manner as integers. Segregation types were adapted from outcross segregation types. For details see <a href="#">read_onemap</a> .
input	the name of the input file.
n.phe	number of phenotypes.
pheno	a matrix with phenotypic values. Each column contains data for a trait and each row represents an individual. Currently ignored.

**Author(s)**

Adapted from Karl Broman (package **qtl**) by Marcelo Mollinari, <mmollina@usp.br>

**References**

Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43

Lincoln, S. E., Daly, M. J. and Lander, E. S. (1993) Constructing genetic linkage maps with MAP-MAKER/EXP Version 3.0: a tutorial and reference manual. *A Whitehead Institute for Biomedical Research Technical Report*.

**See Also**

mapmaker\_example\_bc and mapmaker\_example\_f2 directory in the package source.

**Examples**

```
## Not run:
map_data <-read_mapmaker(dir="work_directory",file="data_file.txt")
#Checking 'mapmaker_example_f2'
data(mapmaker_example_f2)
names(mapmaker_example_f2)

## End(Not run)
```

---

read\_onemap

*Read data from all types of progenies supported by OneMap*

---

**Description**

Imports data derived from outbred parents (full-sib family) or inbred parents (backcross, F2 intercross and recombinant inbred lines obtained by self- or sib-mating). Creates an object of class onemap.

**Usage**

```
read_onemap(dir, inputfile)
```

**Arguments**

dir                    directory where the input file is located.  
inputfile             the name of the input file which contains the data to be read.

## Details

The file format is similar to that used by MAPMAKER/EXP (*Lincoln et al.*, 1993). The first line indicates the cross type and is structured as data type {cross}, where cross must be one of "outcross", "f2 intercross", "f2 backcross", "ri self" or "ri sib". The second line contains five integers: i) the number of individuals; ii) the number of markers; iii) an indicator variable taking the value 1 if there is CHROM information, i.e., if markers are anchored on any reference sequence, and 0 otherwise; iv) a similar 1/0 variable indicating whether there is POS information for markers; and v) the number of phenotypic traits.

The next line contains sample IDs, separated by empty spaces or tabs. Addition of this sample ID requirement makes it possible for separate input datasets to be merged.

Next comes the genotype data for all markers. Each new marker is initiated with a "\*" (without the quotes) followed by the marker name, without any space between them. Each marker name is followed by the corresponding segregation type, which may be: "A.1", "A.2", "A.3", "A.4", "B1.5", "B2.6", "B3.7", "C.8", "D1.9", "D1.10", "D1.11", "D1.12", "D1.13", "D2.14", "D2.15", "D2.16", "D2.17" or "D2.18" (without quotes), for full-sibs [see [marker\\_type](#) and *Wu et al.* (2002) for details]. Other cross types have special marker types: "A.H" for backcrosses; "A.H.B" for F2 intercrosses; and "A.B" for recombinant inbred lines.

After the segregation type comes the genotype data for the corresponding marker. Depending on the segregation type, genotypes may be denoted by ac, ad, bc, bd, a, ba, b, bc, ab and o, in several possible combinations. To make things easier, we have followed **exactly** the notation used by *Wu et al.* (2002). Allowed values for backcrosses are a and ab; for F2 crosses they are a, ab and b; for RILs they may be a and b. Genotypes *must* be separated by a space. Missing values are denoted by "-".

If there is physical information for markers, i.e., if they are anchored at specific positions in reference sequences (usually chromosomes), this is included immediately after the marker data. These lines start with special keywords \*CHROM and \*POS and contain strings and integers, respectively, indicating the reference sequence and position for each marker. These also need to be separated by spaces.

Finally, if there is phenotypic data, it will be added just after the marker or CHROM/POS data. They need to be separated by spaces as well, using the same symbol for missing information.

The example directory in the package distribution contains an example data file to be read with this function. Further instructions can be found at the tutorial distributed along with this package.

## Value

An object of class onemap, i.e., a list with the following components:

geno	a matrix with integers indicating the genotypes read for each marker. Each column contains data for a marker and each row represents an individual.
n.ind	number of individuals.
n.mar	number of markers.
segr.type	a vector with the segregation type of each marker, as strings.
segr.type.num	a vector with the segregation type of each marker, represented in a simplified manner as integers, i.e. 1 corresponds to markers of type "A"; 2 corresponds to markers of type "B1.5"; 3 corresponds to markers of type "B2.6"; 4 corresponds to markers of type "B3.7"; 5 corresponds to markers of type "C.8"; 6

	corresponds to markers of type "D1" and 7 corresponds to markers of type "D2". Markers for F2 intercrosses are coded as 1; all other crosses are left as NA.
input	the name of the input file.
n.phe	number of phenotypes.
pheno	a matrix with phenotypic values. Each column contains data for a trait and each row represents an individual.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**References**

Lincoln, S. E., Daly, M. J. and Lander, E. S. (1993) Constructing genetic linkage maps with MAP-MAKER/EXP Version 3.0: a tutorial and reference manual. *A Whitehead Institute for Biomedical Research Technical Report*.

Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.

**See Also**

[combine\\_onemap](#) and the example directory in the package source.

**Examples**

```
## Not run:
  outcr_data <- read_onemap(dir="work_directory", inputfile="data_file.txt")

## End(Not run)
```

---

 record

*Recombination Counting and Ordering*


---

**Description**

Implements the marker ordering algorithm *Recombination Counting and Ordering* (Van Os et al., 2005).

**Usage**

```
record(input.seq, times = 10, LOD = 0, max.rf = 0.5, tol = 1e-04)
```

**Arguments**

<code>input.seq</code>	an object of class <code>sequence</code> .
<code>times</code>	integer. Number of replicates of the RECORD procedure.
<code>LOD</code>	minimum LOD-Score threshold used when constructing the pairwise recombination fraction matrix.
<code>max.rf</code>	maximum recombination fraction threshold used as the LOD value above.
<code>tol</code>	tolerance for the C routine, i.e., the value used to evaluate convergence.

**Details**

*Recombination Counting and Ordering (RECORD)* is an algorithm for marker ordering in linkage groups. It is not an exhaustive search method and, therefore, is not computationally intensive. However, it does not guarantee that the best order is always found. The only requirement is a matrix with recombination fractions between markers.

After determining the order with *RECORD*, the final map is constructed using the multipoint approach (function [map](#)).

**Value**

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
<code>seq.like</code>	log-likelihood of the corresponding linkage map.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

**Author(s)**

Marcelo Mollinari, <[mmollina@usp.br](mailto:mmollina@usp.br)>

**References**

- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.
- Van Os, H., Stam, P., Visser, R.G.F. and Van Eck, H.J. (2005) RECORD: a novel method for ordering loci on a genetic linkage map. *Theoretical and Applied Genetics* 112: 30-40.

**See Also**

[make\\_seq](#) and [map](#)

## Examples

```
## Not run:
##outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.rec <- record(LG1)

##F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.rec <- record(LG1)
LG1.rec

## End(Not run)
```

---

rf\_2pts

*Two-point analysis between genetic markers*


---

## Description

Performs the two-point (pairwise) analysis proposed by *Wu et al. (2002)* between all pairs of markers.

## Usage

```
rf_2pts(input.obj, LOD = 3, max.rf = 0.5, verbose = TRUE)
```

## Arguments

input.obj	an object of class onemap.
LOD	minimum LOD Score to declare linkage (defaults to 3).
max.rf	maximum recombination fraction to declare linkage (defaults to 0.50).
verbose	logical. If TRUE, current progress is shown; if FALSE, no output is produced.

## Details

For  $n$  markers, there are

$$\frac{n(n-1)}{2}$$

pairs of markers to be analyzed. Therefore, completion of the two-point analyses can take a long time.

**Value**

An object of class `rf_2pts`, which is a list containing the following components:

<code>n.mar</code>	total number of markers.
<code>LOD</code>	minimum LOD Score to declare linkage.
<code>max.rf</code>	maximum recombination fraction to declare linkage.
<code>input</code>	the name of the input file.
<code>analysis</code>	an array with the complete results of the two-point analysis for each pair of markers.

**Note**

The thresholds used for `LOD` and `max.rf` will be used in subsequent analyses, but can be overridden.

**Author(s)**

Gabriel R A Margarido <gramarga@gmail.com> and Marcelo Mollinari <mmollina@usp.br>

**References**

Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.

**Examples**

```
data(onemap_example_out)

twopts <- rf_2pts(onemap_example_out,LOD=3,max.rf=0.5) # perform two-point analyses
twopts

print(twopts,c("M1","M2")) # detailed results for markers 1 and 2
```

---

`rf_graph_table`
*Plots pairwise recombination fractions and LOD Scores in a heatmap*


---

**Description**

Plots a matrix of pairwise recombination fraction or LOD Scores using a color scale. Any value of the matrix can be easily accessed using an interactive plotly-html interface, helping users to check for possible problems.

**Usage**

```
rf_graph_table(
  input.seq,
  graph.LOD = FALSE,
  main = NULL,
  inter = FALSE,
  html.file = NULL,
  mrk.axis = "numbers",
  lab.xy = NULL,
  n.colors = 4
)
```

**Arguments**

input.seq	an object of class sequence with a predefined order.
graph.LOD	logical. If TRUE, displays the LOD heatmap, otherwise, displays the recombination fraction heatmap.
main	character. The title of the plot.
inter	logical. If TRUE, an interactive HTML graphic is plotted. Otherwise, a default graphic device is used.
html.file	character naming the html file with iterative graphic.
mrk.axis	character, "names" to display marker names in the axis, "numbers" to display marker numbers and "none" to display axis free of labels.
lab.xy	character vector with length 2, first component is the label of x axis and second of the y axis.
n.colors	integer. Number of colors in the pallete.

**Details**

The color scale varies from red (small distances or big LODs) to purple. When hover on a cell, a dialog box is displayed with some information about corresponding markers for that cell (line (y)  $\times$  column (x)). They are: *i*) the name of the markers; *ii*) the number of the markers on the data set; *iii*) the segregation types; *iv*) the recombination fraction between the markers and *v*) the LOD-Score for each possible linkage phase calculated via two-point analysis. For neighbor markers, the multipoint recombination fraction is printed; otherwise, the two-point recombination fraction is printed. For markers of type D1 and D2, it is impossible to calculate recombination fraction via two-point analysis and, therefore, the corresponding cell will be empty (white color). For cells on the diagonal of the matrix, the name, the number and the type of the marker are printed, as well as the percentage of missing data for that marker.

**Author(s)**

Rodrigo Amadeu, <rramadeu@gmail.com>

## Examples

```
## Not run:
##outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.rcd <- rcd(LG1)
rf_graph_table(LG1.rcd, inter=FALSE)

##Now, using interactive plotly
rf_graph_table(LG1.rcd, inter=TRUE, html.file= "LG1.rcd.html")

##F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)

##"pre-allocate" an empty list of length groups$n.groups (3, in this case)
maps.list<-vector("list", groups$n.groups)

for(i in 1:groups$n.groups){
  ##create linkage group i
  LG.cur <- make_seq(groups,i)
  ##ordering
  map.cur<-order_seq(LG.cur, subset.search = "sample")
  ##assign the map of the i-th group to the maps.list
  maps.list[[i]]<-make_seq(map.cur, "force")
}
##Plot LOD/recombination fraction matrices for each group
require(gridExtra)
plot1 <- rf_graph_table(maps.list[[1]], main="Group 1",inter=FALSE)
plot2 <- rf_graph_table(maps.list[[2]], main="Group 2",inter=FALSE)
plot3 <- rf_graph_table(maps.list[[3]], main="Group 3",inter=FALSE)
grid.arrange(plot1, plot2, plot3, nrow=3)

## End(Not run)
```

---

ripple\_seq

*Compares and displays plausible alternative orders for a given linkage group*

---

## Description

For a given sequence of ordered markers, computes the multipoint likelihood of alternative orders, by shuffling subsets (windows) of markers within the sequence. For each position of the window, all possible ( $ws$ )! orders are compared.

**Usage**

```
ripple_seq(input.seq, ws = 4, ext.w = NULL, LOD = 3, tol = 0.1)
```

**Arguments**

input.seq	an object of class sequence with a predefined order.
ws	an integer specifying the length of the window size (defaults to 4).
ext.w	an integer specifying how many markers should be considered in the vicinity of the permuted window. If ext.w=NULL all markers in the sequence are considered. In this version, it is used only in backcross, $F_2$ or RIL crosses.
LOD	threshold for the LOD-Score, so that alternative orders with LOD less than or equal to this threshold will be displayed.
tol	tolerance for the C routine, i.e., the value used to evaluate convergence.

**Details**

Large values for the window size make computations very slow, specially if there are many partially informative markers.

**Value**

This function does not return any value; it just produces text output to suggest alternative orders.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com> and Marcelo Mollinari, <mmollina@usp.br>

**References**

- Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43
- Jiang, C. and Zeng, Z.-B. (1997). Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines. *Genetica* 101: 47-58.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.
- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.
- Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.
- Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

**See Also**

[make\\_seq](#), [compare](#), [try\\_seq](#) and [order\\_seq](#).

## Examples

```
## Not run:
#Outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
markers <- make_seq(twopt,c(27,16,20,4,19,21,23,9,24,29))
markers.map <- map(markers)
ripple_seq(markers.map)

#F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG3 <- make_seq(groups,3)
LG3.ord <- order_seq(LG3, subset.search = "twopt", twopt.alg = "rcd", touchdown=TRUE)
LG3.ord
make_seq(LG3.ord) # get safe sequence
ord.1<-make_seq(LG3.ord,"force") # get forced sequence
ripple_seq(ord.1, ws=5)

## End(Not run)
```

---

select\_segreg

*Show markers with/without segregation distortion*

---

## Description

A function to shows which marker have segregation distortion if Bonferroni's correction is applied for the Chi-square tests of mendelian segregation.

## Usage

```
select_segreg(x, distorted = FALSE, numbers = FALSE, threshold = NULL)
```

## Arguments

x	an object of class onemap_segreg_test
distorted	a TRUE/FALSE variable to show distorted or non-distorted markers
numbers	a TRUE/FALSE variable to show the numbers or the names of the markers
threshold	a number between 0 and 1 to specify the threshold to be considered in the test. If NULL, it uses the threshold defined by bonferroni correction with alpha = 0.05

## Value

a vector with marker names or numbers, according to the option for "distorted" and "numbers"

**Examples**

```
# Loads a fake backcross dataset installed with onemap
data(onemap_example_bc)
# Performs the chi-square test for all markers
Chi <- test_segregation(onemap_example_bc)
# To show non-distorted markers
select_segreg(Chi)
# To show markers with segregation distortion
select_segreg(Chi, distorted=TRUE)
# To show the numbers of the markers with segregation distortion
select_segreg(Chi, distorted=TRUE, numbers=TRUE)
```

---

seriation	<i>Seriation</i>
-----------	------------------

---

**Description**

Implements the marker ordering algorithm *Seriation* (Buetow & Chakravarti, 1987).

**Usage**

```
seriation(input.seq, LOD = 0, max.rf = 0.5, tol = 1e-04)
```

**Arguments**

input.seq	an object of class sequence.
LOD	minimum LOD-Score threshold used when constructing the pairwise recombination fraction matrix.
max.rf	maximum recombination fraction threshold used as the LOD value above.
tol	tolerance for the C routine, i.e., the value used to evaluate convergence.

**Details**

*Seriation* is an algorithm for marker ordering in linkage groups. It is not an exhaustive search method and, therefore, is not computationally intensive. However, it does not guarantee that the best order is always found. The only requirement is a matrix with recombination fractions between markers.

NOTE: When there are too many pairs of markers with the same value in the recombination fraction matrix, it can result in ties during the ordination process and the *Seriation* algorithm may not work properly. This is particularly relevant for outcrossing populations with mixture of markers of type D1 and D2. When this occurs, the function shows the following error message: There are too many ties in the ordination process -please, consider using another ordering algorithm.

After determining the order with *Seriation*, the final map is constructed using the multipoint approach (function [map](#)).

**Value**

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
<code>seq.like</code>	log-likelihood of the corresponding linkage map.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**References**

- Buetow, K. H. and Chakravarti, A. (1987) Multipoint gene mapping using seriation. I. General methods. *American Journal of Human Genetics* 41: 180-188.
- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.

**See Also**

[make\\_seq](#), [map](#)

**Examples**

```
## Not run:
##outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG3 <- make_seq(groups,3)
LG3.ser <- seriation(LG3)

##F2 example
data(onemap_example_f2)
twopt <- rf_2pts(onemap_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG1 <- make_seq(groups,1)
LG1.ser <- seriation(LG1)
LG1.ser

## End(Not run)
```

---

set_map_fun	<i>Defines the default mapping function</i>
-------------	---

---

**Description**

Defines the function that should be used to display the genetic map through the analysis.

**Usage**

```
set_map_fun(type = c("kosambi", "haldane"))
```

**Arguments**

type                    Indicates the function that should be used, which can be "kosambi" or "haldane"

**Author(s)**

Marcelo Mollinari, <mmollina@usp.br>

**References**

Haldane, J. B. S. (1919) The combination of linkage values and the calculation of distance between the loci of linked factors. *Journal of Genetics* 8: 299-309.

Kosambi, D. D. (1944) The estimation of map distance from recombination values. *Annuaire of Eugenetics* 12: 172-175.

**See Also**

[kosambi](#) and [haldane](#)

---

suggest_lod	<i>Suggests a LOD Score for two point tests</i>
-------------	---

---

**Description**

It suggests a LOD Score for declaring statistical significance for two-point tests for linkage between all pairs of markers, considering that multiple tests are being performed.

**Usage**

```
suggest_lod(x)
```

**Arguments**

x                        an object of class onemap

**Details**

In a somehow naive approach, the function calculates the number of two-point tests that will be performed for all markers in the data set, and then using this to calculate the global alpha required to control type I error using Bonferroni's correction.

From this global alpha, the corresponding quantile from the chi-square distribution is taken and then converted to LOD Score.

This can be seen as just an initial approximation to help users to select a LOD Score for two point tests.

**Value**

the suggested LOD to be used for testing linkage

**Examples**

```
data(onemap_example_bc) # Loads a fake backcross dataset installed with onemap
suggest_lod(onemap_example_bc) # An value that should be used to start the analysis
```

---

test_segregation	<i>test_segregation</i>
------------------	-------------------------

---

**Description**

Using OneMap internal function `test_segregation_of_a_marker()`, performs the Chi-square test to check if all markers in a dataset are following the expected segregation pattern, i. e., 1:1:1:1 (A), 1:2:1 (B), 3:1 (C) and 1:1 (D) according to OneMap's notation.

**Usage**

```
test_segregation(x)
```

**Arguments**

x                    an object of class `onemap`, with data and additional information.

**Details**

First, it identifies the correct segregation pattern and corresponding H0 hypothesis, and then tests it.

**Value**

an object of class `onemap_segreg_test`, which is a list with marker name, H0 hypothesis being tested, the chi-square statistics, the associated p-values and the % of individuals genotyped. To see the object, it is necessary to print it.

## Examples

```
data(onemap_example_out) # Loads a fake outcross dataset installed with onemap
Chi <- test_segregation(onemap_example_out) # Performs the chi-square test for all markers
print(Chi) # Shows the results
```

---

```
test_segregation_of_a_marker
      test_segregation_of_a_marker
```

---

## Description

Applies the chi-square test to check if markers are following the expected segregation pattern, i. e., 1:1:1:1 (A), 1:2:1 (B), 3:1 (C) and 1:1 (D) according to OneMap's notation. It does not use Yate's correction.

## Usage

```
test_segregation_of_a_marker(x, marker)
```

## Arguments

x	an object of class onemap, with data and additional information.
marker	the marker which will be tested for its segregation.

## Details

First, the function selects the correct segregation pattern, then it defines the H0 hypothesis, and then tests it, together with percentage of missing data.

## Value

a list with the H0 hypothesis being tested, the chi-square statistics, the associated p-values, and the % of individuals genotyped.

```
##' @examples data(onemap_example_bc) # Loads a fake backcross dataset installed with onemap
test_segregation_of_a_marker(onemap_example_bc,1)
```

```
data(onemap_example_out) # Loads a fake outcross dataset installed with onemap test_segregation_of_a_marker(onemap_ex
```

---

try_seq	<i>Try to map a marker into every possible position between markers in a given map</i>
---------	--

---

### Description

For a given linkage map, tries do add an additional unpositioned marker. This function estimates parameters for all possible maps including the new marker in all possible positions, while keeping the original linkage map unaltered.

### Usage

```
try_seq(input.seq, mrk, tol = 0.1, pos = NULL, verbose = FALSE)
```

### Arguments

input.seq	an object of class sequence with a predefined order.
mrk	the index of the marker to be tried, according to the input file.
tol	tolerance for the C routine, i.e., the value used to evaluate convergence.
pos	defines in which position the new marker mrk should be placed for the diagnostic graphic. If NULL (default), the marker is placed on the best position i.e. the one which results LOD = 0.00
verbose	if FALSE (default), simplified output is displayed. if TRUE, detailed output is displayed.

### Value

An object of class try, which is a list containing the following components:

ord	a list containing results for every linkage map estimated. These results include linkage phases, recombination frequencies and log-likelihoods.
LOD	a vector with LOD-Scores for each position where the additional marker is placed. This Score is based on the best combination of linkage phases for each map.
try.ord	a matrix with the orders of all linkage maps.
data.name	name of the object of class onemap with the raw data.
twopt	name of the object of class rf_2pts with the 2-point analyses.

### Author(s)

Marcelo Mollinari, <mmollina@usp.br>

## References

- Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43
- Jiang, C. and Zeng, Z.-B. (1997). Mapping quantitative trait loci with dominant and missing markers in various crosses from two inbred lines. *Genetica* 101: 47-58.
- Lander, E. S., Green, P., Abrahamson, J., Barlow, A., Daly, M. J., Lincoln, S. E. and Newburg, L. (1987) MAPMAKER: An interactive computer package for constructing primary genetic linkage maps of experimental and natural populations. *Genomics* 1: 174-181.
- Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetic maps. *Heredity* 103: 494-502
- Wu, R., Ma, C.-X., Painter, I. and Zeng, Z.-B. (2002a) Simultaneous maximum likelihood estimation of linkage and linkage phases in outcrossing species. *Theoretical Population Biology* 61: 349-363.
- Wu, R., Ma, C.-X., Wu, S. S. and Zeng, Z.-B. (2002b). Linkage mapping of sex-specific differences. *Genetical Research* 79: 85-96

## See Also

[make\\_seq](#) and [compare](#).

## Examples

```
## Not run:
#outcrossing example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
markers <- make_seq(twopt,c(2,3,12,14))
markers.comp <- compare(markers)
base.map <- make_seq(markers.comp,1)

extend.map <- try_seq(base.map,30)
extend.map
print(extend.map,5) # best position
print(extend.map,4) # second best position

#F2 example
data(mapmaker_example_f2)
twopt <- rf_2pts(mapmaker_example_f2)
all_mark <- make_seq(twopt,"all")
groups <- group(all_mark)
LG3 <- make_seq(groups,3)
LG3.ord <- order_seq(LG3, subset.search = "twopt", twopt.alg = "rcd", touchdown=TRUE)
LG3.ord
safe.map<-make_seq(LG3.ord,"safe")
extend.map <- try_seq(safe.map,64)
extend.map
(new.map<-make_seq(extend.map,14)) # best position
```

```
## End(Not run)
```

---

 ug
 

---

*Unidirectional Growth*


---

### Description

Implements the marker ordering algorithm *Unidirectional Growth* (Tan & Fu, 2006).

### Usage

```
ug(input.seq, LOD = 0, max.rf = 0.5, tol = 1e-04)
```

### Arguments

<code>input.seq</code>	an object of class <code>sequence</code> .
<code>LOD</code>	minimum LOD-Score threshold used when constructing the pairwise recombination fraction matrix.
<code>max.rf</code>	maximum recombination fraction threshold used as the LOD value above.
<code>tol</code>	tolerance for the C routine, i.e., the value used to evaluate convergence.

### Details

*Unidirectional Growth* (*UG*) is an algorithm for marker ordering in linkage groups. It is not an exhaustive search method and, therefore, is not computationally intensive. However, it does not guarantee that the best order is always found. The only requirement is a matrix with recombination fractions between markers.

After determining the order with *UG*, the final map is constructed using the multipoint approach (function `map`).

### Value

An object of class `sequence`, which is a list containing the following components:

<code>seq.num</code>	a vector containing the (ordered) indices of markers in the sequence, according to the input file.
<code>seq.phases</code>	a vector with the linkage phases between markers in the sequence, in corresponding positions. -1 means that there are no defined linkage phases.
<code>seq.rf</code>	a vector with the recombination frequencies between markers in the sequence. -1 means that there are no estimated recombination frequencies.
<code>seq.like</code>	log-likelihood of the corresponding linkage map.
<code>data.name</code>	name of the object of class <code>onemap</code> with the raw data.
<code>twopt</code>	name of the object of class <code>rf_2pts</code> with the 2-point analyses.

**Author(s)**

Marcelo Mollinari, <mmollina@usp.br>

**References**

Mollinari, M., Margarido, G. R. A., Vencovsky, R. and Garcia, A. A. F. (2009) Evaluation of algorithms used to order markers on genetics maps. *Heredity* 103: 494-502.

Tan, Y. and Fu, Y. (2006) A novel method for estimating linkage maps. *Genetics* 173: 2383-2390.

**See Also**

[make\\_seq](#), [map](#)

**Examples**

```
## Not run:
#outcross example
data(onemap_example_out)
twopt <- rf_2pts(onemap_example_out)
all_mark <- make_seq(twopt, "all")
groups <- group(all_mark)
LG1 <- make_seq(groups, 1)
LG1.ug <- ug(LG1)

#F2 example
data(mapmaker_example_f2)
twopt <- rf_2pts(mapmaker_example_f2)
all_mark <- make_seq(twopt, "all")
groups <- group(all_mark)
LG1 <- make_seq(groups, 1)
LG1.ug <- ug(LG1)
LG1.ug

## End(Not run)
```

**Description**

Converts data from a standard VCF (Variant Call Format) file to the input format required by OneMap, while trying to identify the appropriate marker segregation patterns.

**Usage**

```
vcf2raw(
  input = NULL,
  output = NULL,
  cross = c("outcross", "f2 intercross", "f2 backcross", "ri self", "ri sib"),
  parent1 = NULL,
  parent2 = NULL,
  min_class = 1
)
```

**Arguments**

input	path to the input VCF file.
output	path to the output OneMap file.
cross	type of cross. Must be one of: "outcross" for full-sibs; "f2 intercross" for an F2 intercross progeny; "f2 backcross"; "ri self" for recombinant inbred lines by self-mating; or "ri sib" for recombinant inbred lines by sib-mating.
parent1	string or vector of strings specifying sample ID(s) of the first parent.
parent2	string or vector of strings specifying sample ID(s) of the second parent.
min_class	a real number between 0.0 and 1.0. For each parent and each variant site, defines the proportion of parent samples that must be of the same genotype for it to be assigned to the corresponding parent.

**Details**

The input VCF file must be sorted, compressed and tabix indexed. Please check functions `bgzip` and `indexTabix` of package `Rsamtools` for details.

Each variant in the VCF file is processed independently. Only biallelic SNPs and indels for diploid variant sites are considered.

Genotype information on the parents is required for all cross types. For full-sib progenies, both outbred parents must be genotyped. For backcrosses, F2 intercrosses and recombinant inbred lines, the *original inbred lines* must be genotyped. Particularly for backcross progenies, the *recurrent line must be provided as the first parent* in the function arguments.

First, samples corresponding to both parents of the progeny are parsed and their genotypes identified, given that their replicates are concordant above a threshold given by `min_class`. This allows replicates of the parents to be used, which is common in sequencing plates. In detail, each parent will be called an heterozygote only if  $min\_class * number\ of\ replicates$  samples or more are heterozygous. The same is valid for homozygous calls. Whenever there are different genotypes among replicates, heterozygosity is checked first. The default value (1.0) requires that all replicates be of the same genotype. If each parent is represented by a single sample, this parameter has no effect.

Next, marker type is determined based on parental genotypes. Finally, progeny genotypes are identified and output is produced. Variants for which parent genotypes cannot be determined are discarded.

Reference sequence ID and position for each variant site are stored as special fields denoted `CHROM` and `POS`.

**Author(s)**

Gabriel R A Margarido, <gramarga@gmail.com>

**See Also**

read\_onemap for a description of the OneMap file format.

**Examples**

```
## Not run:
vcf2raw(input="your_VCF_file.vcf.gz",
        output="your_OneMap_file.raw",
        cross="your_cross_type",
        parent1=c("PAR1_sample1", "PAR1_sample2"),
        parent2=c("PAR2_sample1", "PAR2_sample2", "PAR2_sample3"),
        min_class=0.5) # for parent1, a single heterozygote replicate results
                      # in a heterozygote genotype call; for parent2, at
                      # least two samples have to be concordant

## End(Not run)
```

---

vcf_example_bc	<i>Data generated from VCF file with biallelic markers from a f2 backcross population</i>
----------------	---

---

**Description**

Simulated biallelic data set for an backcross population

**Usage**

```
data("vcf_example_bc")
```

**Format**

An object of class onemap.

**Details**

A total of 142 backcross individuals were genotyped with 25 markers. The data was generated from a VCF file. It contains chromosome and position informations for each marker. It is included to be used as a example in order to understand how to convert VCF file to OneMap input data with the functions vcf2raw and onemap\_read\_vcfR.

**Author(s)**

Cristiane Hayumi Taniguti, <chaytaniguti@gmail.com>

**See Also**

[read\\_onemap](#) for details about objects of class onemap.

**Examples**

```
data(vcf_example_bc)
plot(vcf_example_bc)
```

---

vcf_example_f2	<i>Data generated from VCF file with biallelic markers from a f2 inter-cross population</i>
----------------	---

---

**Description**

Simulated biallelic data set for an f2 population

**Usage**

```
data(vcf_example_f2)
```

**Format**

An object of class onemap.

**Details**

A total of 192 F2 individuals were genotyped with 25 markers. The data was generated from a VCF file. It contains chromosome and position informations for each marker. It is included to be used as a reference in order to understand how to convert VCF file to OneMap input data. Also, it is used for the analysis in the tutorial that comes with OneMap.

**Author(s)**

Cristiane Hayumi Taniguti, <chaytaniguti@gmail.com>

**See Also**

[read\\_onemap](#) for details about objects of class onemap.

**Examples**

```
data(vcf_example_f2)

# plot markers informations
plot(vcf_example_f2)
```

---

vcf_example_out	<i>Data generated from VCF file with biallelic markers from a full-sib family derived from two outbred parents</i>
-----------------	--

---

### Description

Simulated biallelic data set for an outcross, i.e., an F1 population obtained by crossing two non-homozygous parents.

### Usage

```
data(vcf_example_out)
```

### Format

An object of class onemap.

### Details

A total of 92 F1 individuals were genotyped with 27 markers. The data was generated from a VCF file. It contains chromosome and position informations for each marker. It is included to be used as a reference in order to understand how to convert VCF file to OneMap input data. Also, it is used for the analysis in the tutorial that comes with OneMap.

### Author(s)

Cristiane Hayumi Taniguti, <chaytaniguti@gmail.com>

### See Also

[read\\_onemap](#) for details about objects of class onemap.

### Examples

```
data(vcf_example_out)

# plot markers informations
plot(vcf_example_out)
```

---

vcf\_example\_riself      *Data generated from VCF file with biallelic markers from a RIL population produced by selfing*

---

## Description

Simulated biallelic data set for an ri self population.

## Usage

```
data("vcf_example_riself")
```

## Format

The format is: List of 10 \$ geno : num [1:92, 1:25] 3 3 1 3 1 3 3 1 3 1 ... ..- attr(\*, "dimnames")=List of 2 .. ..\$: chr [1:92] "ID1" "ID3" "ID4" "ID5" ... ..\$: chr [1:25] "SNP16" "SNP12" "SNP17" "SNP10" ... \$ n.ind : int 92 \$ n.mar : int 25 \$ segr.type : chr [1:25] "A.B" "A.B" "A.B" "A.B" ... \$ segr.type.num: logi [1:25] NA NA NA NA NA NA ... \$ n.phe : int 0 \$ pheno : NULL \$ CHROM : chr [1:25] "1" "1" "1" "1" ... \$ POS : int [1:25] 1791 6606 9001 11326 11702 15533 17151 18637 19146 19220 ... \$ input : chr "vcf\_example\_riself.raw" - attr(\*, "class")= chr [1:2] "onemap" "riself"

## Details

A total of 92 rils individuals were genotyped with 25 markers. The data was generated from a VCF file. It contains chromosome and position informations for each marker. It is included to be used as an example in order to understand how to convert VCF file to OneMap input data with the functions `vcf2raw` and `onemap_read_vcfR`.

## Author(s)

Cristiane Hayumi Taniguti, <chaytaniguti@gmail.com>

## See Also

[read\\_onemap](#) for details about objects of class `onemap`.

## Examples

```
data(vcf_example_riself)
plot(vcf_example_riself)
```

---

write_map	<i>Write a genetic map to a file</i>
-----------	--------------------------------------

---

### Description

Write a genetic map to a file, base on a given map, or a list of maps. The output file can be used as an input to perform QTL mapping using the package R/qtl. It is also possible to create an output to be used with QTLCartographer program.

### Usage

```
write_map(map.list, file.out)
```

### Arguments

map.list	a map, i.e. an object of class sequence with a predefined order, linkage phases, recombination fraction and likelihood or a list of maps.
file.out	output map file.

### Details

This function is available only for backcross, F2 and RILs.

### Author(s)

Marcelo Mollinari, <mmollina@usp.br>

### References

Broman, K. W., Wu, H., Churchill, G., Sen, S., Yandell, B. (2008) *qtl: Tools for analyzing QTL experiments* R package version 1.09-43

Wang S., Basten, C. J. and Zeng Z.-B. (2010) Windows QTL Cartographer 2.5. Department of Statistics, North Carolina State University, Raleigh, NC.

### Examples

```
## Not run:
data(mapmaker_example_f2)
twopt<-rf_2pts(mapmaker_example_f2)
lg<-group(make_seq(twopt, "all"))

##"pre-allocate" an empty list of length lg$n.groups (3, in this case)
maps.list<-vector("list", lg$n.groups)

for(i in 1:lg$n.groups){
  ##create linkage group i
  LG.cur <- make_seq(lg,i)
```

```

    ##ordering
    map.cur<-order_seq(LG.cur, subset.search = "sample")
    ##assign the map of the i-th group to the maps.list
    maps.list[[i]]<-make_seq(map.cur, "force")
  }

##write maps.list to "mapmaker_example_f2.map" file
write_map(map.list, "mapmaker_example_f2.map")

##Using R/qtl
##you must install the package 'qtl'
##install.packages("qtl")

require(qtl)
file<-paste(system.file("example",package="onemap"),"mapmaker_example_f2.raw", sep="/")
dat1 <- read.cross("mm", file=file, mapfile="mapmaker_example_f2.map")
newmap <- est.map(dat1, tol=1e-6, map.function="kosambi")

(logliks <- sapply(newmap, attr, "loglik"))
plot.map(dat1, newmap)

##Using R/qtl to generate QTL Cartographer input files (.map and .cro)
write.cross(dat1, format="qtlcart", filestem="mapmaker_example_f2")

## End(Not run)

```

---

write\_onemap\_raw

*Convert onemap object to onemap raw file*


---

## Description

Converts onemap R object to onemap input file. The input file brings information about the mapping population: First line: cross type, it can be "outcrossing", "f2 intercross", "f2 backcross", "ri self" or "ri sib". Second line: number of individuals, number of markers, presence (1) or absence (0) of chromosome and position of the markers, and number of phenotypes measured. Third line: Individuals/sample names; Followed lines: marker name, marker type and genotypes. One line for each marker. Final lines: chromosome, position and phenotypes informations. See more about input file format at vignettes.

## Usage

```

write_onemap_raw(
  onemap.obj = NULL,
  file.name = "out.raw",
  cross = c("outcross", "f2 backcross", "f2 intercross", "ri self", "ri sib")
)

```

**Arguments**

<code>onemap.obj</code>	object of class 'onemap'
<code>file.name</code>	a character for the onemap raw file name. Default is "out.raw"
<code>cross</code>	a character describing the cross type. It can be "outcrossing", "f2 intercross", "f2 backcross", "ri self" or "ri sib"

**Author(s)**

Cristiane Taniguti, <chtaniguti@usp.br>

**See Also**

`read_onemap` for a description of the output object of class `onemap`.

**Examples**

```
## Not run:  
data(onemap_example_out)  
  
write_onemap_raw(onemap_example_out, file.name = "onemap_example_out.raw", cross="outcross")  
  
## End(Not run)
```

# Index

## \*Topic **IO**

- combine\_onemap, 5
- read\_mapmaker, 42
- read\_onemap, 43
- vcf2raw, 61

## \*Topic **arith**

- map\_func, 24
- set\_map\_fun, 55

## \*Topic **bins**

- create\_data\_bins, 9
- find\_bins, 14

## \*Topic **datasets**

- mapmaker\_example\_bc, 22
- mapmaker\_example\_f2, 23
- onemap\_example\_bc, 28
- onemap\_example\_f2, 29
- onemap\_example\_out, 30
- onemap\_example\_riself, 31
- vcf\_example\_bc, 63
- vcf\_example\_f2, 64
- vcf\_example\_out, 65
- vcf\_example\_riself, 66

## \*Topic **dimension**

- create\_data\_bins, 9
- find\_bins, 14

## \*Topic **manip**

- marker\_type, 25

## \*Topic **misc**

- group, 15

## \*Topic **reduction**

- create\_data\_bins, 9
- find\_bins, 14

## \*Topic **rqtl**

- draw\_map, 10
- draw\_map2, 11
- write\_map, 67

## \*Topic **utilities**

- compare, 6
- make\_seq, 18

- map, 20

- marker\_type, 25

- order\_seq, 33

- rcd, 40

- record, 45

- rf\_2pts, 47

- rf\_graph\_table, 48

- ripple\_seq, 50

- seriation, 53

- try\_seq, 58

- ug, 60

- add\_marker, 3, 13

- Bonferroni\_alpha, 4

- combine\_onemap, 5, 45

- compare, 6, 20, 33, 35, 51, 59

- create\_data\_bins, 9, 14

- create\_dataframe\_for\_plot\_outcross, 8

- draw\_map, 10

- draw\_map2, 11

- drop\_marker, 4, 13

- find\_bins, 9, 14

- group, 15, 18

- group\_seq, 16

- haldane, 55

- haldane (map\_func), 24

- kosambi, 55

- kosambi (map\_func), 24

- make\_seq, 7, 16, 18, 18, 21, 26, 35, 41, 46, 51, 54, 59, 61

- map, 20, 20, 40, 41, 46, 53, 54, 60, 61

- map\_func, 24

- mapmaker\_example\_bc, 22

mapmaker\_example\_f2, 23  
marker\_type, 7, 25, 44  
mds\_onemap, 26

onemap\_example\_bc, 28  
onemap\_example\_f2, 29  
onemap\_example\_out, 30  
onemap\_example\_riself, 31  
onemap\_read\_vcfR, 32  
order\_seq, 20, 33, 51

plot.onemap, 36  
plot.onemap\_segreg\_test, 37  
plot\_by\_segreg\_type, 38  
print.onemap\_segreg\_test, 39

rcd, 40  
read\_mapmaker, 6, 22, 29, 42  
read\_onemap, 6, 22, 29–31, 42, 43, 64–66  
record, 45  
rf\_2pts, 16, 47  
rf\_graph\_table, 48  
ripple\_seq, 50

select\_segreg, 52  
seriation, 53  
set\_map\_fun, 55  
suggest\_lod, 55

test\_segregation, 56  
test\_segregation\_of\_a\_marker, 57  
try\_seq, 20, 35, 51, 58

ug, 60

vcf2raw, 61  
vcf\_example\_bc, 63  
vcf\_example\_f2, 64  
vcf\_example\_out, 65  
vcf\_example\_riself, 66

write\_map, 67  
write\_onemap\_raw, 68