

Package ‘siconfir’

January 15, 2023

Type Package

Title Quick and Easy Access Tax and Accounting Data of Brazil

Version 2.0.3

Description Access tax and accounting data of Brazilian states and municipalities provided by the Brazilian Public Sector Accounting and Tax Information System.

License MIT + file LICENSE

URL <https://github.com/aspeddro/siconfir>

BugReports <https://github.com/aspeddro/siconfir/issues>

Encoding UTF-8

LazyData true

RoxygenNote 7.2.3

Language en-US

Imports httr, tidyr, tibble, dplyr, magrittr, purrr, rlang, stringr

Depends R (>= 3.2)

Suggests testthat (>= 3.0.0)

Config/testthat/edition 3

NeedsCompilation no

Author Pedro Castro [aut, cre]

Maintainer Pedro Castro <pdesacastro@gmail.com>

Repository CRAN

Date/Publication 2023-01-15 16:30:07 UTC

R topics documented:

br_cods	2
find_cod	3
get_annex	3
get_annual_acc	4

get_budget	5
get_fiscal	6
get_info	8
msc_budget	8
msc_control	9
msc_equity	10
report_status	10

Index	12
--------------	-----------

br_cods	<i>Basic information of Brazilian municipalities and states</i>
---------	---

Description

A data set containing some information about all municipalities, states and the Federal District

Usage

br_cods

Format

A data frame with 5597 rows and 9 variables:

cod_ibge state or municipality id

ente name of the state or municipality

capital if 1, then it is state capital, if 0 is not capital

regiao abbreviation of the location of the state or municipality, Midwest ("CO"), North ("NO"), Northeast ("NE"), Southeast ("SU") and ("BR") for the Union

uf abbreviation of the name of the state where the municipality is located. For states abbreviation is "BR"

esfera scope of the municipality, state or district. District ("D"), State ("E"), Municipality ("M"), Union ("U")

exercicio year the data was downloaded

populacao population

cnpj id used by companies/entities, called the National Register of Legal Entities

Source

http://apidatalake.tesouro.gov.br/docs/siconfi/#/Entes/get_entes

find_cod	<i>Find state or municipality information</i>
----------	---

Description

Find state or municipality information

Usage

```
find_cod(query)
```

Arguments

query	name of city/state, is a character
-------	------------------------------------

Value

tibble

Examples

```
find_cod("rio de janeiro")
find_cod("bahia")
```

get_annex	<i>Attachments of reports by sphere of government</i>
-----------	---

Description

Refers to the annexes to each of the reports/statements grouped by sphere of government

Usage

```
get_annex(verbose = FALSE)
```

Arguments

verbose	is a logical. Enable verbose mode. Default is FALSE
---------	---

Value

tibble

Examples

```
## Not run:
get_annex()

## End(Not run)
```

get_annual_acc	<i>Annual statement of accounts</i>
----------------	-------------------------------------

Description

set of tables of patrimonial and budgetary data: balance sheet, statement of budgetary revenue, statement of budgetary expenses by nature, statement of budgetary expenses by function, statement of execution of remains payable - budgetary expenses by nature, statement of execution of remains payable - budgetary expenses by function, statement of equity variations

Usage

```
get_annual_acc(year, cod, annex = NULL, verbose = FALSE)
```

Arguments

year	is a numeric vector
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
annex	is a character vector. Default is NULL, it will get all attachments.
verbose	is a logical. Enable verbose mode. Default is FALSE

Details

Possible values for the annex parameter are: "Anexo I-AB", "Anexo I-C", "Anexo I-D", "Anexo I-E", "Anexo I-F", "Anexo I-G", "Anexo I-HI", "DCA-Anexo I-AB", "DCA-Anexo I-C", "DCA-Anexo I-D", "DCA-Anexo I-E", "DCA-Anexo I-F", "DCA-Anexo I-G", "DCA-Anexo I-HI" For more details on the parameter cod see the column cod_ibge of the function [get_info](#)

Value

tibble

Note

Brazilian Public Sector Accounting and Tax Information System (Siconfi): <http://apidatalake.tesouro.gov.br/docs/siconfi/>

See Also

<https://www.gov.br/secretariadegoverno/pt-br/portalfederativo/guiainicio/prefeito/trilhas-100-dias-de-governo/dca-declaracao-de-contas-anuais>

Examples

```
## Not run:
get_annual_acc(year = 2019, cod = 35)

## End(Not run)
```

get_budget

Budget execution summary report

Description

The budget execution summary report will contain the following statements: budget balance sheet, statement of execution of expenses by function/subfunction; statement of current net revenue; statement of social security income and expenses; statement of primary and nominal results; statement of remains payable for power and agency; statement of income and expenses with maintenance and development of education; statement of income and expenses with public health actions and services; statement of public-private partnerships; simplified statement of the budget execution summary report.

Usage

```
get_budget(
  year,
  period,
  cod,
  simple = FALSE,
  annex = NULL,
  sphere = NULL,
  verbose = FALSE
)
```

Arguments

year	is a numeric vector
period	is a numeric vector, bimester of the year, an integer between 1 and 6
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
simple	is a logical. TRUE applies only to municipalities with less than 50 thousand inhabitants that have opted for simplified publication. Default is FALSE
annex	is a character vector. Default is NULL, it will get all attachments.
sphere	is a string vector. Sphere filter "M" = Municipalities, "E" = States and "DF", "U" = Union and "C" = Consortium. Default is NULL
verbose	is a logical. Enable verbose mode. Default is FALSE

Details

Possible values for the annex parameter are: "01", "02", "03", "04", "04 - RGPS", "04 - RPPS", "04.0 - RGPS", "04.1", "04.2", "04.3 - RGPS", "05", "06", "07", "09", "10 - RGPS", "10 - RPPS", "11", "13", "14". For more details on the parameter cod see the column cod_ibge of the function `get_info`

Value

tibble

Note

Brazilian Public Sector Accounting and Tax Information System (Siconfi): <http://apidatalake.tesouro.gov.br/docs/siconfi/>

See Also

https://conteudo.tesouro.gov.br/manuais/index.php?option=com_content&view=article&id=1180:03-00-01-introducao&catid=601&Itemid=675

Examples

```
## Not run:
get_budget(year = 2020, period = 1, cod = 29)

## End(Not run)
```

get_fiscal

Fiscal management report

Description

The fiscal management report will contain comparative statements with the limits referred to in the fiscal responsibility law, of the following amounts: total personnel expenses, showing expenses with assets, inactive and pensioners, net consolidated debt, granting of guarantees and counter-guarantees and operation credit.

Usage

```
get_fiscal(
  year,
  period,
  cod,
  freq = "Q",
  annex = NULL,
  power = c("E", "L", "J", "M", "D"),
  sphere = NULL,
  verbose = FALSE
)
```

Arguments

year	is a numeric vector
period	is a numeric vector, period of the year, if the parameter freq is "Q" then it will be an integer between 1 and 3. If freq is "S" then it will be an integer between 1 and 2.
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
freq	is a character, periodicity of publication of the report, "S" is semiannual, "Q" is four-month period. The semiannual periodicity ("S") applies only to municipalities with less than 50 thousand inhabitants that opted for simplified publication. Default is "Q"
annex	is a numeric vector, an integer between 1 and 6. Default is NULL, it will get all attachments.
power	is a character vector, an acronym for each power, executive "E", legislative "L", judiciary "J", public ministry "M", Public defense "D". Default is c("E", "L", "J", "M", "D")
sphere	is a string vector. Sphere filter "M" = Municipalities, "E" = States and "DF", "U" = Union and "C" = Consortium. Default is NULL
verbose	is a logical. Enable verbose mode. Default is FALSE

Details

For more details on the parameter cod see the column cod_ibge of the function [get_info](#)

Value

tibble

Note

Brazilian Public Sector Accounting and Tax Information System (Siconfi): <http://apidatalake.tesouro.gov.br/docs/siconfi/>

See Also

https://conteudo.tesouro.gov.br/manuais/index.php?option=com_content&view=article&id=1344:04-00-01-01-conteudo-do-relatorio&catid=677&Itemid=675

Examples

```
## Not run:
get_fiscal(year = 2019, period = 1:3, cod = 35, power = "E")

## End(Not run)
## Not run:
get_fiscal(year = 2017, period = 2, annex = 1, cod = 1)

## End(Not run)
```

get_info *Basic information on Brazilian states and municipalities*

Description

Get basic information about all the entities of the federation

Usage

```
get_info(verbose = FALSE)
```

Arguments

verbose is a logical. Enable verbose mode. Default is FALSE

Value

tibble

Note

Brazilian Public Sector Accounting and Tax Information System (Siconfi): <http://apidatalake.tesouro.gov.br/docs/siconfi/>

msc_budget *Budget accounts, accounting balances matrix*

Description

Details of the records reported in the accounting accounts that receive budget entries.

Usage

```
msc_budget(year, month, cod, matrix_type, class, value, verbose = FALSE)
```

Arguments

year is a numeric vector

month is a numeric vector

cod is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.

matrix_type is a character. Matrix type, monthly or aggregate "MSCC" or year-end "MSCE"

class is a numeric vector, integer between 5 and 6. Class of accounting accounts that receive entries of a budgetary nature.

value is a character. The detailed values can be of three types: opening balance "beginning_balance", movement "period_change" or ending balance "ending_balance"

verbose is a logical. Enable verbose mode. Default is FALSE

Value

tibble

Note

Refers to the accounting accounts for approval of the approval (class 5) and execution (class 6) of the planning and budget, as well as their respective complementary information

 msc_control

Control accounts, accounting balances matrix

Description

Details of the records informed in the accounting accounts that receive entries of a control nature.

Usage

```
msc_control(year, month, cod, matrix_type, class, value, verbose = FALSE)
```

Arguments

year	is a numeric vector
month	is a numeric vector
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
matrix_type	is a character. Matrix type, monthly or aggregate "MSCC" or year-end "MSCE"
class	is a numeric vector 7 or 8. Class of accounting accounts that receive postings of a control nature.
value	is a character. The detailed values can be of three types: opening balance "beginning_balance", movement "period_change" or ending balance "ending_balance"
verbose	is a logical. Enable verbose mode. Default is FALSE

Value

tibble

Note

It refers to the control accounting accounts for checking balances of a debtor nature (class 7) and of a creditor nature (class 8) as well as their respective complementary information.

msc_equity	<i>Equity accounts, accounting balances matrix</i>
------------	--

Description

Details of the records informed in the accounting accounts that receive entries of an equity nature.

Usage

```
msc_equity(year, month, cod, matrix_type, class, value, verbose = FALSE)
```

Arguments

year	is a numeric vector
month	is a numeric vector
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
matrix_type	is a character. Matrix type, monthly or aggregate "MSCC" or year-end "MSCE"
class	is a numeric vector, integer between 1 and 4. Class of accounting accounts that receive entries of an equity nature
value	is a character. The detailed values can be of three types: opening balance "beginning_balance", movement "period_change" or ending balance "ending_balance"
verbose	is a logical. Enable verbose mode. Default is FALSE

Value

tibble

Note

It refers to the accounting accounts for assets (class 1), liabilities (class 2), diminishing equity variations (class 3) and augmenting equity variations (class 4) as well as their respective complementary information.

report_status	<i>Report status</i>
---------------	----------------------

Description

Information on approved and corrected reports as well as matrices delivered to SICONFI.

Usage

```
report_status(year, cod, verbose = FALSE)
```

Arguments

year	is a numeric vector
cod	is a numeric vector. Brazilian Institute of Geography and Statistics (IBGE) code assigned to each municipality and state.
verbose	is a logical. Enable verbose mode. Default is FALSE

Value

tibble
tibble

Note

Brazilian Public Sector Accounting and Tax Information System (Siconfi): <http://apidatalake.tesouro.gov.br/docs/siconfi/>

Examples

```
## Not run:  
report_status(year = 2020, cod = 35)  
  
## End(Not run)
```

Index

* datasets

br_cods, 2

br_cods, 2

find_cod, 3

get_annex, 3

get_annual_acc, 4

get_budget, 5

get_fiscal, 6

get_info, 4, 6, 7, 8

msc_budget, 8

msc_control, 9

msc_equity, 10

report_status, 10