

Package ‘ispd’

August 19, 2019

Version 0.2

Date 2019-08-13

Title Incomplete Split-Plot Designs

Author Baidya Nath Mandal [aut, cre],
Sukanta Dash [aut],
Rajender Parsad [aut]

Maintainer Baidya Nath Mandal <mandal.stat@gmail.com>

Depends R (>= 3.5.0)

Imports ibd

Description A collection of several functions related to construction and analysis of incomplete split-plot designs. The package contains functions to obtain and analyze incomplete split-plot designs for three kinds of situations namely (i) when blocks are complete with respect to main plot treatments and main plots are incomplete with respect to subplot treatments, (ii) when blocks are incomplete with respect to main plot treatments and main plots are complete with respect to subplot treatments and (iii) when blocks are incomplete with respect to main plot treatments and main plots are incomplete with respect to subplot treatments.

License GPL (>= 2)

NeedsCompilation no

Repository CRAN

Date/Publication 2019-08-19 10:20:03 UTC

R topics documented:

aov.ispd	2
cmis	3
imes	3
imis	4
ispd	4

Index	6
--------------	----------

`aov.ispd`*Analysis of variance of data from an incomplete split-plot design*

Description

This function performs analysis of variance of data from experiments using an incomplete split-plot design for three types of situations namely (i) blocks are complete with respect to main plot treatments and mainplots are incomplete with respect to subplot treatments, (ii) blocks are incomplete with respect to main plot treatments and mainplots are complete with respect to subplot treatments and (iii) blocks are incomplete with respect to main plot treatments and mainplots are also incomplete with respect to subplot treatments.

Usage

```
aov.ispd(obs, block, mp, sp, y, incomplete.block = FALSE, incomplete.mp = TRUE)
```

Arguments

<code>obs</code>	observation numbers
<code>block</code>	block
<code>mp</code>	main plot treatment
<code>sp</code>	subplot treatment
<code>y</code>	response variable
<code>incomplete.block</code>	Are blocks incomplete? Default is FALSE
<code>incomplete.mp</code>	Are main plots incomplete? Default is TRUE

Value

Returns ANOVA table of incomplete split-plot design

Author(s)

Baidya Nath Mandal <mandal.stat@gmail.com>

Examples

```
data(cmis)
with(cmis, aov.ispd(obs, block, mp, sp, y, incomplete.block = FALSE, incomplete.mp = TRUE))
data(imcs)
with(imcs, aov.ispd(obs, block, mp, sp, y, incomplete.block = TRUE, incomplete.mp = FALSE))
data(imis)
with(imis, aov.ispd(obs, block, mp, sp, y, incomplete.block = TRUE, incomplete.mp = TRUE))
```

`cmis`*Data from an experiment using incomplete split-plot design*

Description

Data from an experiment using incomplete split-plot design where blocks are complete with respect to main plot treatments and main plots are incomplete with respect to subplot treatments

Usage

```
data("cmis")
```

Format

A data frame with 36 observations on the following 5 variables.

obs Observations
block Blocks
mp Main plot treatments
sp Subplot treatments
y The response variable

Examples

```
data(cmis)
```

`imcs`*Data from an experiment using incomplete split-plot design*

Description

Data from an experiment using incomplete split-plot design where blocks are incomplete with respect to main plot treatments and main plots are complete with respect to subplot treatments

Usage

```
data("imcs")
```

Format

A data frame with 18 observations on the following 5 variables.

obs Observations
block Blocks
mp Main plot treatments
sp Subplot treatments
y The response variable

Examples

```
data(imcs)
```

```
imis
```

Data from an experiment using incomplete split-plot design

Description

Data from an experiment using incomplete split-plot design where blocks are incomplete with respect to main plot treatments and main plots are also incomplete with respect to subplot treatments

Usage

```
data("imis")
```

Format

A data frame with 36 observations on the following 5 variables.

obs Observations

block Blocks

mp Main plot treatments

sp Subplot treatments

y The response variable

Examples

```
data(imis)
```

```
ispd
```

Incomplete split-plot design for given number of blocks, number of main plot treatments, number of subplot treatments, number of main plot treatments in blocks and / or number of subplot treatments in main plots

Description

This function generates an incomplete split-plot design with given number of main plot treatments(v_1), number of subplot treatments (v_2), number of blocks(b) and block size(k). The incomplete split-plot design may be one of the three kinds: (i) blocks are complete with respect to main plot treatments and mainplots are incomplete with respect to subplot treatments, (ii) blocks are incomplete with respect to main plot treatments and mainplots are complete with respect to subplot treatments and (iii) blocks are incomplete with respect to main plot treatments and mainplots are also incomplete with respect to subplot treatments.

Usage

```
ispd(v1,v2,b,k1 = NULL,k2 = NULL)
```

Arguments

v1	number of main plot treatments
v2	number of subplot treatments
b	number of blocks
k1	number of main plot treatments in each block. If k1 is not specified, it is assumed that k1 = v1
k2	number of subplot treatments in each main plot. If k2 is not specified, it is assumed that k2 = v2

Value

A list containing parameters, design layout and column layout of design

Author(s)

Baidya Nath Mandal <mandal.stat@gmail.com>

Examples

```
ispd(v1 = 3, v2 = 4, b = 3, k1 = 2)
ispd(v1 = 3, v2 = 3, b = 3, k2 = 2)
ispd(v1 = 4, b = 6, k1 = 2, v2 = 3, k2 = 2)
```

Index

*Topic **analysis of variance**

aov.ispd, 2

*Topic **analysis**

ispd, 4

*Topic **datasets**

cmis, 3

imcs, 3

imis, 4

*Topic **incomplete split-plot design**

aov.ispd, 2

ispd, 4

*Topic **main plot**

aov.ispd, 2

ispd, 4

*Topic **subplot**

aov.ispd, 2

ispd, 4

*Topic **whole plot**

aov.ispd, 2

ispd, 4

aov.ispd, 2

cmis, 3

imcs, 3

imis, 4

ispd, 4