

Package ‘minimist’

February 20, 2015

Type Package

Title Parse Argument Options

Version 0.1

Date 2015-02-14

Author Jeroen Ooms, James Halliday

Maintainer Jeroen Ooms <jeroen.ooms@stat.ucla.edu>

Description A binding to the `minimist` JavaScript library. This module implements the guts of `optimist`'s argument parser without all the fanciful decoration.

License MIT + file LICENSE

Imports V8

URL <https://github.com/jeroenooms/minimist>,
<https://www.npmjs.com/package/minimist>

BugReports <https://github.com/jeroenooms/minimist/issues>

NeedsCompilation no

Repository CRAN

Date/Publication 2015-02-14 23:56:28

R topics documented:

minimist	2
Index	3

`minimist`*Parse argument options*

Description

This module is the guts of `optimist`'s argument parser without all the fanciful decoration.

Usage

```
minimist(args = commandArgs())
```

Arguments

`args` a character vector with arguments

Details

Parses a vector of strings (e.g. from `commandArgs`) into the proper key/value list.

Examples

```
minimist()  
minimist(c("-a", "beep", "-b", "boop"))  
args = c("-x", "3", "-y", "4", "-n5", "-abc", "--beep=boop", "foo", "bar", "baz")  
minimist(args)
```

Index

`commandArgs`, [2](#)

`minimist`, [2](#)